

Rabbit anti-Human MCK10 Polyclonal Antibody | anti-DDR1 antibody

MCK10 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA290070	Rabbit	Human	Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS

MCK10; Polyclonal Antibody; MCK10 Antibody; Epithelial discoidin domain-containing receptor 1; Epithelial discoidin domain receptor 1; CD167 antigen-like family member A; Cell adhesion kinase; Discoidin receptor tyrosine kinase; HGK2; Mammary carcinoma kinase 10; MCK-10; Protein-tyrosine kinase 3A; Protein-tyrosine kinase RTK-6; TRK E; Tyrosine kinase DDR; Tyrosine-protein kinase CAK; CD167a; DDR1; CAK; EDDR1; NEP; NTRK4; PTK3A; RTK6; TRKE; anti-DDR1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This MCK10 antibody is generated from rabbits immunized with recombinant human MCK10 protein.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Length	894
Applicable Applications for anti-DDR1 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Recombinant Protein
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohiostchemistry)
Formalin-fixed and paraffin-embedded human lung carcinoma tissue reacted with MCK10 antibody , which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of anti-MCK10 Pab in SK-BR-3 cell line lysates (35ug/lane).MCK10 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-DDR1 antibody	Receptor tyrosine kinases (RTKs) play a key role in the communication of cells with their microenvironment. These molecules are involved in the regulation of cell growth, differentiation and metabolism. MCK10 is a RTK that is widely expressed in normal and transformed epithelial cells and is activated by various types of collagen. This protein belongs to a subfamily of tyrosine kinase receptors with a homology region to the Dictyostelium discoideum protein discoidin I in their extracellular domain. Its autophosphorylation is achieved by all collagens so far tested (type I to type VI). In situ studies and Northern-blot analysis showed that expression of this encoded protein is restricted to epithelial cells, particularly in the kidney, lung, gastrointestinal tract, and brain. In addition, this protein is significantly over-expressed in several human tumors from breast, ovarian, esophageal, and pediatric brain.
Product Categories/Family for anti-DDR1 antibody	Cancer; Cardiovascular; Neuroscience; Signal transduction
References	Vogel, W., et al., Mol. Cell 1(1):13-23 (1997). Playford, M.P., et al., Genome Res. 6(7):620-627 (1996). Perez, J.L., et al., Oncogene 12(7):1469-1477 (1996). Valent, A., et al., Hum. Genet. 98(1):12-15 (1996). Edelhoff, S., et al., Genomics 25(1):309-311 (1995).

NCBI AND UNIPROT INFORMATION

NCBI GI #	321400059
NCBI GeneID	780
NCBI Accession #	NP_001189450.1; NP_001189451.1; NP_001189452.1; NP_001945.3; NP_054699.2; NP_054700.2
NCBI GenBank Nucleotide #	NM_001202521.1
UniProt Accession #	Q08345; Q14196; Q16562; Q2L6H3; Q4LE50; Q5ST11; Q5ST12; Q6NSK4; Q9UD35; B5A975; B5A976; B7Z2K0
Molecular Weight	101128
NCBI Official Full Name	epithelial discoidin domain-containing receptor 1 isoform 4
NCBI Official Synonym Full Names	discoidin domain receptor tyrosine kinase 1
NCBI Official Symbol	DDR1
NCBI Official Synonym Symbols	CAK; DDR; NEP; HGK2; PTK3; RTK6; TRKE; CD167; EDDR1; MCK10; NTRK4; PTK3A
NCBI Protein Information	epithelial discoidin domain-containing receptor 1

UniProt Protein Name	Epithelial discoidin domain-containing receptor 1
UniProt Gene Name	DDR1
UniProt Synonym Gene Names	CAK; EDDR1; NEP; NTRK4; PTK3A; RTK6; TRKE; Epithelial discoidin domain receptor 1; MCK-10
UniProt Entry Name	DDR1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/mck10-antibody-immunohistochemistry-western-blot-elisa/290070>