

Rabbit anti-Human E-cadherin Polyclonal Antibody | anti-CDH1 antibody

E-cadherin Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA29016	Rabbit	Human	Western Blot, Immunohistochemistry, Immunofluorescence


PRODUCT SYNONYMS

E-cadherin; Polyclonal Antibody; E-cadherin Polyclonal Antibody; CDH1; CDHE; UVO; Cadherin-1; CAM 120/80; Epithelial cadherin; Uvomorulin; CD antigen CD324; anti-CDH1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-CDH1 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.



IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.


Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.


Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-CDH1 antibody

Cadherins are calcium-dependent cell adhesion proteins (PubMed:11976333). They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types. CDH1 is involved in mechanisms regulating cell-cell adhesions, mobility and proliferation of epithelial cells (PubMed:11976333). Has a potent invasive suppressor role. It is a ligand for integrin alpha-E/beta-7.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4757960
NCBI GeneID	999
NCBI Accession #	NP_004351.1
NCBI GenBank Nucleotide #	NM_004360.3
UniProt Accession #	P12830; Q13799; Q14216; Q15855; Q16194; Q4PJ14; A8K1U7
Molecular Weight	97,456 Da
NCBI Official Full Name	cadherin-1 preproprotein
NCBI Official Synonym Full Names	cadherin 1, type 1, E-cadherin (epithelial)
NCBI Official Symbol	CDH1
NCBI Official Synonym Symbols	UVO; CDHE; ECAD; LCAM; Arc-1; CD324

NCBI Protein Information	cadherin-1; CAM 120/80; E-Cadherin; uvomorulin; cell-CAM 120/80; epithelial cadherin; cadherin 1, E-cadherin (epithelial); calcium-dependent adhesion protein, epithelial
UniProt Protein Name	Cadherin-1
UniProt Gene Name	CDH1
UniProt Synonym Gene Names	CDHE; UVO; E-cadherin
UniProt Entry Name	CADH1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/e-cadherin-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/29016>