

Rabbit anti-Human MAGE-C2 Polyclonal Antibody | anti-MAGE-C2 antibody

MAGE-C2 Polyclonal Antibody

CATALOG # AAA29063	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot
------------------------------	-----------------------	----------------------------	-------------------------------------


PRODUCT SYNONYMS

MAGE-C2; Polyclonal Antibody; MAGE-C2 Polyclonal Antibody; MAGEC2; HCA587; MAGEE1; Melanoma-associated antigen C2; Cancer/testis antigen 10; CT10; Hepatocellular carcinoma-associated antigen 587; MAGE-C2 antigen; MAGE-E1 antigen; anti-MAGE-C2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-MAGE-C2 antibody	WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.



Application Data

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-MAGE-C2 antibody

Proposed to enhance ubiquitin ligase activity of RING- type zinc finger-containing E3 ubiquitin-protein ligases. In vitro enhances ubiquitin ligase activity of TRIM28 and stimulates p53/TP53 ubiquitination in presence of Ubl-conjugating enzyme UBE2H leading to p53/TP53 degradation. Proposed to act through recruitment and/or stabilization of the Ubl-conjugating enzymes (E2) at the E3: substrate complex.

NCBI AND UNIPROT INFORMATION

NCBI GI #	7706605
NCBI GeneID	51438
NCBI Accession #	NP_057333.1
NCBI GenBank Nucleotide #	NM_016249.3
UniProt Accession #	Q9UBF1; Q5JZ00; Q96D45; Q9P1M6; Q9P1M7
Molecular Weight	41,163 Da
NCBI Official Full Name	melanoma-associated antigen C2
NCBI Official Synonym Full Names	melanoma antigen family C, 2
NCBI Official Symbol	MAGEC2
NCBI Official Synonym Symbols	CT10; HCA587; MAGEE1

NCBI Protein Information	melanoma-associated antigen C2; MAGE-C2 antigen; MAGE-E1 antigen; cancer/testis antigen 10; hepatocellular cancer antigen 587; hepatocellular carcinoma-associated antigen 587; melanoma antigen, family E, 1, cancer/testis specific
UniProt Protein Name	Melanoma-associated antigen C2
UniProt Gene Name	MAGEC2
UniProt Synonym Gene Names	HCA587; MAGEE1; CT10
UniProt Entry Name	MAGC2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/mage-c2-antibody-western-blot-elisa/29063>