

Mouse CAPN2 Monoclonal Antibody | anti-CAPN2 antibody

CAPN2 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA290947	Mouse	Human, Rat Predicted: Mouse	ELISA, Flow Cytometry, Functional Assay, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

CAPN2; Monoclonal Antibody; CAPN2 Antibody; Calpain-2 catalytic subunit; Calcium-activated neutral proteinase 2; CANP 2; Calpain M-type; Calpain large polypeptide L2; Calpain-2 large subunit; Millimolar-calpain; M-calpain; CANPL2; anti-CAPN2 antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human, Rat Predicted: Mouse
Clonality	Monoclonal
Isotype	IgG2b
Specificity	This CAPN2 antibody is generated from a mouse immunized with a KLH conjugated synthetic peptide between amino acids from the human region of human CAPN2.
Form/Format	Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.
Sequence Length	622
Applicable Applications for anti-CAPN2 antibody	ELISA, FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), WB (Western Blot)
Cellular Location	Cytoplasm. Cell membrane. Note=Translocates to the plasma membrane upon Ca(2+) binding
Tissue Location	Ubiquitous.
Antigen Source	Human
Function	Calcium-regulated non-lysosomal thiol-protease which catalyzes limited proteolysis of substrates involved in cytoskeletal remodeling and signal transduction. Proteolytically cleaves MYOC at 'Arg-226' (PubMed:). Proteolytically cleaves CPEB3 following neuronal stimulation which abolishes CPEB3 translational repressor activity, leading to translation of CPEB3 target mRNAs (By similarity).
Preparation and Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.


IMAGES



IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded H.stomach section using CAPN2 Antibody (AAA290947) . It was diluted at 1:25 dilution. A peroxidase-conjugated goat anti-mouse IgG at 1:400 dilution was used as the secondary antibody, followed by DAB staining.



FCM/FACS (Flow Cytometry)
Flow cytometric analysis of U-87 MG cells using CAPN2 Antibody(green) (AAA290947) compared to an isotype control of mouse IgG2b(blue). AP20600c was diluted at 1:100 dilution. An Alexa Fluor 488 goat anti-mouse IgG at 1:400 dilution was used as the secondary antibody.



WB (Western Blot)
Western blot analysis of lysates from A549,SK-BR-3,mouse C2C12 cell line (from left to right), using CAPN2 Antibody (AAA290947). It was diluted at 1:1000 at each lane. A goat anti-mouse IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-CAPN2 antibody	Description: Purified Mouse Monoclonal Antibody (Mab)
	Background: Calcium-regulated non-lysosomal thiol-protease which catalyze limited proteolysis of substrates involved in cytoskeletal remodeling and signal transduction.
References	Imajoh S.,et al.Biochemistry 27:8122-8128(1988). Ye Z.,et al.Biochem. Biophys. Res. Commun. 275:223-227(2000). Ota T.,et al.Nat. Genet. 36:40-45(2004). Gregory S.G.,et al.Nature 441:315-321(2006). Hata A.,et al.J. Biol. Chem. 264:6404-6411(1989).

NCBI AND UNIPROT INFORMATION

NCBI GI #	225703100
NCBI GeneID	824
NCBI Accession #	NP_001139540.1
NCBI GenBank Nucleotide #	NP_001139540.1
UniProt Accession #	P17655
Molecular Weight	Calculated MW: H=80, 71; M=80, 71kDa

NCBI Official Full Name	calpain-2 catalytic subunit isoform 2
NCBI Official Synonym Full Names	calpain 2
NCBI Official Symbol	CAPN2
NCBI Official Synonym Symbols	CANP2; mCANP; CANPL2; CANPml
NCBI Protein Information	calpain-2 catalytic subunit
UniProt Protein Name	Calpain-2 catalytic subunit
UniProt Gene Name	CAPN2
UniProt Synonym Gene Names	CANPL2; CANP 2; M-calpain
UniProt Entry Name	CAN2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/capn2-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/290947>