

Rabbit DYNC1I1 Polyclonal Antibody | anti-DYNC1I1 antibody

DYNC1I1 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291283	Rabbit	Rat, Pig, Cow	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

DYNC1I1; Polyclonal Antibody; DYNC1I1 Polyclonal Antibody; Cytoplasmic dynein 1 intermediate chain 1; Cytoplasmic dynein intermediate chain 1; Dynein intermediate chain 1; cytosolic; DH IC-1; DNC1I; DNCIC1; anti-DYNC1I1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat, Pig, Cow
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-DYNC1I1 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



FCM/FACS (Flow Cytometry)

Blank control(blue): Hela(fixed with 2% paraformaldehyde (10 min) and then permeabilized with ice-cold 90% methanol for 30 min on ice). Primary Antibody: Rabbit Anti- DYNC1I1/FITC Conjugated antibody (bs-10470R /FITC), Dilution: 1 ug in 100 uL 1X PBS containing 0.5% BSA; Isotype Control Antibody: Rabbit IgG/FITC(orange) ,used under the same conditions.



IF (Immunofluorescence)

Tissue/cell: rat brain tissue;4% Paraformaldehyde-fixed and paraffin-embedded;Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Blocking buffer (normal goat serum,C-0005) at 37 degree C for 20 min;Incubation: Anti-DYNC1I1 Polyclonal Antibody, FITC conjugated(bs-10470R-FITC) 1:200, 60 minutes at 37 degree C. DAPI(5ug/ml,blue,C-0033) was used to stain the cell nuclei

NCBI AND UNIPROT INFORMATION

NCBI GI #	6647481
NCBI GeneID	1780
UniProt Accession #	O14576; Q8TBF7; Q9Y2X1; B4DME3; F5H050; G5E9K1
Molecular Weight	645
NCBI Official Full Name	Cytoplasmic dynein 1 intermediate chain 1
NCBI Official Synonym Full Names	dynein, cytoplasmic 1, intermediate chain 1
NCBI Official Symbol	DYNC1I1
NCBI Official Synonym Symbols	DNC1I; DNCIC1

NCBI Protein Information	cytoplasmic dynein 1 intermediate chain 1; DH IC-1; dynein intermediate chain 1, cytosolic; cytoplasmic dynein intermediate chain 1; dynein, cytoplasmic, intermediate polypeptide 1
UniProt Protein Name	Cytoplasmic dynein 1 intermediate chain 1
UniProt Gene Name	DYNC1I1
UniProt Synonym Gene Names	DNCI1; DNCIC1; DH IC-1
UniProt Entry Name	DC1I1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/dync1i1-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-western-blot-elisa/291283>