

Rabbit CWC22 Polyclonal Antibody | anti-CWC22 antibody

CWC22 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291338	Rabbit	Rat, Pig, Dog, Cow	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry


PRODUCT SYNONYMS

CWC22; Polyclonal Antibody; CWC22 Polyclonal Antibody; Pre-mRNA-splicing factor CWC22 homolog; Nucampholin homolog; fSAPb; KIAA1604; NCM; anti-CWC22 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Rat, Pig, Dog, Cow
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-CWC22 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (mouse lung tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (CWC22) Polyclonal Antibody, Unconjugated (bs-11464R) at 1:400 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (rat brain tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (CWC22) Polyclonal Antibody, Unconjugated (bs-11464R) at 1:400 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	55749769
NCBI GeneID	57703
NCBI Accession #	NP_065994.1
NCBI GenBank Nucleotide #	NM_020943.2
UniProt Accession #	Q9HCG8; Q05DC2; Q4G135; Q52LF0; Q6PEX2; Q7Z6I0; Q9H5L3; Q9H6Q6
Molecular Weight	105,466 Da
NCBI Official Full Name	pre-mRNA-splicing factor CWC22 homolog
NCBI Official Synonym Full Names	CWC22 spliceosome associated protein homolog

NCBI Official Symbol	CWC22
NCBI Official Synonym Symbols	NCM; fSAPb; EIF4GL
NCBI Protein Information	pre-mRNA-splicing factor CWC22 homolog
UniProt Protein Name	Pre-mRNA-splicing factor CWC22 homolog
UniProt Gene Name	CWC22
UniProt Synonym Gene Names	KIAA1604; NCM

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cwc22-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-elisa/291338>