

Rabbit Neuro D Polyclonal Antibody | anti-DPF1 antibody

Neuro D Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291350	Rabbit	Rat, Pig, Dog, Cow	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

Neuro D; Polyclonal Antibody; Neuro D Polyclonal Antibody; Zinc finger protein neuro-d4; BRG1-associated factor 45B; BAF45B; D4; zinc and double PHD fingers family 1; DPF1; NEUD4; anti-DPF1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat, Pig, Dog, Cow
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-DPF1 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Paraformaldehyde-fixed, paraffin embedded (mouse testis); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (Neuro D) Polyclonal Antibody, Unconjugated (bs-11573R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (Neuro D) Polyclonal Antibody, Unconjugated (bs-11573R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (rat brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (Neuro D) Polyclonal Antibody, Unconjugated (bs-11573R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	205830430
-----------	-----------

NCBI GeneID	8193
NCBI Accession #	NP_001128627
NCBI GenBank Nucleotide #	NM_001135155
UniProt Accession #	Q92782; Q08AJ0; B3KSY8
Molecular Weight	37,869 Da
NCBI Official Full Name	zinc finger protein neuro-d4 isoform a
NCBI Official Synonym Full Names	D4, zinc and double PHD fingers family 1
NCBI Official Symbol	DPF1
NCBI Official Synonym Symbols	NEUD4; BAF45b; neuro-d4
NCBI Protein Information	zinc finger protein neuro-d4; BRG1-associated factor 45B; neuro-d4 homolog
UniProt Protein Name	Zinc finger protein neuro-d4
UniProt Gene Name	DPF1
UniProt Synonym Gene Names	BAF45B; NEUD4; BAF45B
UniProt Entry Name	DPF1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/neuro-d-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-western-blot-elisa/291350>