

Rabbit anti-Pig, Cow AP1M2 Polyclonal Antibody | anti-AP1M2 antibody

AP1M2 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291491	Rabbit	Pig, Cow	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

AP1M2; Polyclonal Antibody; AP1M2 Polyclonal Antibody; AP-1 complex subunit mu-2; AP-mu chain family member mu1B; Adaptor protein complex AP-1 subunit mu-2; Adaptor-related protein complex 1 subunit mu-2; Clathrin assembly protein complex 1 mu-2 medium chain 2; Golgi adaptor HA1/AP1 adaptin mu-2 subunit; Mu-adaptin 2; Mu1B-adaptin; anti-AP1M2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Pig, Cow
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-AP1M2 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Tissue/cell: human liver carcinoma; 4% Paraformaldehyde-fixed and paraffin-embedded;Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum,C-0005) at 37 degree C for 20 min;Incubation: Anti-AP1M2 Polyclonal Antibody, Unconjugated(bs-13638R) 1:200, overnight at 4 degree C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining



IHC (Immunohistochemistry)

Tissue/cell: human liver carcinoma; 4% Paraformaldehyde-fixed and paraffin-embedded;Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum,C-0005) at 37 degree C for 20 min;Incubation: Anti-AP1M2 Polyclonal Antibody, Unconjugated(bs-13638R) 1:200, overnight at 4 degree C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining

NCBI AND UNIPROT INFORMATION

NCBI GI #	9506797
NCBI GeneID	10053
NCBI Accession #	NP_005489.2
NCBI GenBank Nucleotide #	NM_005498.4
UniProt Accession #	Q9Y6Q5; Q9BSI8; B2RDV5
Molecular Weight	48,108 Da
NCBI Official Full Name	AP-1 complex subunit mu-2 isoform 2
NCBI Official Synonym Full Names	adaptor-related protein complex 1, mu 2 subunit

NCBI Official Symbol	AP1M2
NCBI Official Synonym Symbols	mu2; MU1B; MU-1B; HSMU1B; AP1-mu2
NCBI Protein Information	AP-1 complex subunit mu-2; mu-adaptin 2; mu1B-adaptin; HA1 47 kDa subunit 2; AP-mu chain family member mu1B; golgi adaptor AP-1 47 kDa protein; clathrin coat assembly protein AP47 2; clathrin coat associated protein AP47 2; adaptor protein complex AP-1 mu
UniProt Protein Name	AP-1 complex subunit mu-2
UniProt Gene Name	AP1M2
UniProt Entry Name	AP1M2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ap1m2-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-western-blot-elisa/291491>