

Rabbit Cyclophilin E Polyclonal Antibody | anti-PPIE antibody

Cyclophilin E Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291539	Rabbit	Rat, Dog, Cow	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry


PRODUCT SYNONYMS

Cyclophilin E; Polyclonal Antibody; Cyclophilin E Polyclonal Antibody; Peptidyl-prolyl cis-trans isomerase E; PPIase E; 5.2.1.8; Cyclophilin-33; Rotamase E; PPIE; CYP33; anti-PPIE antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat, Dog, Cow
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-PPIE antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry)
Notes	ECO:0000303 PubMed:8977107
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (mouse lung); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (Cyclophilin E) Polyclonal Antibody, Unconjugated (bs-14138R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (rat lung); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (Cyclophilin E) Polyclonal Antibody, Unconjugated (bs-14138R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	303305009
NCBI GeneID	10450
NCBI Accession #	NP_001181936.1
NCBI GenBank Nucleotide #	NM_001195007.1
UniProt Accession #	Q9UNP9; O43634; O43635; Q32Q72; Q3S611; Q5TGA0; Q5TGA2; Q5TGA3; Q9UIZ5; B2R971
Molecular Weight	34,991 Da
NCBI Official Full Name	peptidyl-prolyl cis-trans isomerase E isoform 4

NCBI Official Synonym Full Names	peptidylprolyl isomerase E (cyclophilin E)
NCBI Official Symbol	PPIE
NCBI Official Synonym Symbols	CYP33; CYP-33
NCBI Protein Information	peptidyl-prolyl cis-trans isomerase E; PPIase E; cyclophilin-33; rotamase E
UniProt Protein Name	Peptidyl-prolyl cis-trans isomerase E
UniProt Gene Name	PPIE
UniProt Synonym Gene Names	CYP33; PPIase E
UniProt Entry Name	PPIE_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cyclophilin-e-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-elisa/291539>