

Rabbit Karyopherin beta 3 Polyclonal Antibody | anti-IPO5 antibody

Karyopherin beta 3 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291705	Rabbit	Rat, Pig, Cow	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry


PRODUCT SYNONYMS

Karyopherin beta 3; Polyclonal Antibody; Karyopherin beta 3 Polyclonal Antibody; Importin-5; Imp5; Importin subunit beta-3; Karyopherin beta-3; Ran-binding protein 5; RanBP5; IPO5; KPNB3; RANBP5; anti-IPO5 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat, Pig, Cow
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-IPO5 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Paraformaldehyde-fixed, paraffin embedded (rat lung); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (Karyopherin beta 3) Polyclonal Antibody, Unconjugated (bs-17075R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (rat pancreas); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (Karyopherin beta 3) Polyclonal Antibody, Unconjugated (bs-17075R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (rat brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (Karyopherin beta 3) Polyclonal Antibody, Unconjugated (bs-17075R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4033763
NCBI GeneID	3843

UniProt Accession #	O00410; O15257; Q5T578; Q86XC7; B4DZA0
Molecular Weight	1097
NCBI Official Full Name	Importin-5
NCBI Official Synonym Full Names	importin 5
NCBI Official Symbol	IPO5
NCBI Official Synonym Symbols	IMB3; Pse1; imp5; KPNB3; RANBP5
NCBI Protein Information	importin-5; karyopherin beta-3; RAN binding protein 5; ran-binding protein 5; importin beta-3 subunit; importin subunit beta-3; Ran_GTP binding protein 5; karyopherin (importin) beta 3
UniProt Protein Name	Importin-5
UniProt Gene Name	IPO5
UniProt Synonym Gene Names	KPNB3; RANBP5; Imp5; RanBP5
UniProt Entry Name	IPO5_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/karyopherin-beta-3-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-elisa/291705>