

Rabbit TET3 Polyclonal Antibody | anti-TET3 antibody

TET3 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291749	Rabbit	Rat, Pig, Dog, Cow	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

TET3; Polyclonal Antibody; TET3 Polyclonal Antibody; Methylcytosine dioxygenase TET3; 1.14.11.n2; KIAA0401; anti-TET3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat, Pig, Dog, Cow
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-TET3 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (mouse testis); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (TET3) Polyclonal Antibody, Unconjugated (bs-17613R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



IF (Immunofluorescence)

Paraformaldehyde-fixed, paraffin embedded (Rat colon); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (TET3) Polyclonal Antibody, Unconjugated (bs-17613R) at 1:400 overnight at 4 degree C, followed by a conjugated Goat Anti-Rabbit IgG antibody (bs-0295G-FITC) for 90 minutes, and DAPI for nuclei staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	190358928
NCBI GeneID	200424
UniProt Accession #	O43151; Q86Z24; Q8TBM9; A6NEI3
Molecular Weight	1660
NCBI Official Full Name	Methylcytosine dioxygenase TET3
NCBI Official Synonym Full Names	tet methylcytosine dioxygenase 3
NCBI Official Symbol	TET3
NCBI Official Synonym Symbols	hCG_40738

NCBI Protein Information	methylcytosine dioxygenase TET3; tet oncogene family member 3; putative methylcytosine dioxygenase; probable methylcytosine dioxygenase TET3
UniProt Protein Name	Methylcytosine dioxygenase TET3
UniProt Gene Name	TET3
UniProt Synonym Gene Names	KIAA0401
UniProt Entry Name	TET3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/tet3-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-western-blot-elisa/291749>