

Rabbit anti-Human BLC Polyclonal Antibody | anti-BLC antibody

BLC Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA29178	Rabbit	Human	Western Blot, Immunohistochemistry


PRODUCT SYNONYMS

BLC; Polyclonal Antibody; BLC Polyclonal Antibody; CXCL13; BCA1; SCYB13; C-X-C motif chemokine 13; Angie; B cell-attracting chemokine 1; BCA-1; B lymphocyte chemoattractant; CXC chemokine BLC; Small-inducible cytokine B13; anti-BLC antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-BLC antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-BLC antibody

Chemotactic for B-lymphocytes but not for T-lymphocytes, monocytes and neutrophils. Does not induce calcium release in B- lymphocytes. Binds to BLR1/CXCR5.

NCBI AND UNIPROT INFORMATION

NCBI GI #	5453577
NCBI GeneID	10563
NCBI Accession #	NP_006410.1
NCBI GenBank Nucleotide #	NM_006419.2
UniProt Accession #	O43927
Molecular Weight	12,664 Da
NCBI Official Full Name	C-X-C motif chemokine 13
NCBI Official Synonym Full Names	chemokine (C-X-C motif) ligand 13
NCBI Official Symbol	CXCL13
NCBI Official Synonym Symbols	BLC; BCA1; ANGIE; BCA-1; BLR1L; ANGIE2; SCYB13
NCBI Protein Information	C-X-C motif chemokine 13; B-cell chemoattractant; B-cell-attracting chemokine 1; B-cell-homing chemokine (ligand for Burkitt's lymphoma receptor-1); B-lymphocyte chemoattractant; CXC chemokine BLC; b cell-attracting chemokine 1; b lymphocyte chemoattracta
UniProt Protein Name	C-X-C motif chemokine 13

UniProt Gene Name	CXCL13
UniProt Synonym Gene Names	BCA1; BLC; SCYB13; BCA-1
UniProt Entry Name	CXL13_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/bic-antibody-western-blot-immunohistochemistry-elisa/29178>