

Rabbit anti-Rat MEX3D/RNF193 Polyclonal Antibody | anti-MEX3D/RNF193 antibody

MEX3D/RNF193 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291816	Rabbit	Rat	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

MEX3D/RNF193; Polyclonal Antibody; MEX3D/RNF193 Polyclonal Antibody; RNA-binding protein MEX3D; RING finger and KH domain-containing protein 1; RING finger protein 193; TINO; MEX3D; KIAA2031; RKHD1; RNF193; anti-MEX3D/RNF193 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-MEX3D/RNF193 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




WB (Western Blot)

Sample: U251 Cell (Human) Lysate at 40 ugPrimary: Anti-MEX3D/RNF193 (bs-18822R) at 1/300 dilutionSecondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilutionPredicted band size: 65 kDobserved band size: 62 kD




IHC (Immunohistochemistry)

Dilution: Paraformaldehyde-fixed, paraffin embedded (mouse brain tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (RNF193) Polyclonal Antibody, Unconjugated (bs-18822R) at 1:400 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (human brain glioma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (RNF193) Polyclonal Antibody, Unconjugated (bs-18822R) at 1:400 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (rat brain tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (RNF193) Polyclonal Antibody, Unconjugated (bs-18822R) at 1:400 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	134047829
NCBI GeneID	399664

UniProt Accession #	Q86XN8 ; Q71M49 ; A0PJL8 ; A1L023 ; E9PAL6
Molecular Weight	66,469 Da
NCBI Official Full Name	RNA-binding protein MEX3D
NCBI Official Synonym Full Names	mex-3 RNA binding family member D
NCBI Official Symbol	MEX3D
NCBI Official Synonym Symbols	MEX3; TINO; RKHD1; MEX-3D; RNF193; OK/SW-cl.4
NCBI Protein Information	RNA-binding protein MEX3D; RING finger protein 193; bcl-2 ARE RNA binding protein; ring finger and KH domain containing 1; RING finger and KH domain-containing protein 1; ring finger (C3HC4 type) and KH domain containing 1
UniProt Protein Name	RNA-binding protein MEX3D
UniProt Gene Name	MEX3D
UniProt Synonym Gene Names	KIAA2031; RKHD1; RNF193
UniProt Entry Name	MEX3D_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/mex3d-rnf193-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-western-blot-elisa/291816>