

Rabbit PAFAH2 Polyclonal Antibody | anti-PAFAH2 antibody

PAFAH2 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA291898	Rabbit	Rat, Pig, Cow	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

PAFAH2; Polyclonal Antibody; PAFAH2 Polyclonal Antibody; Platelet-activating factor acetylhydrolase 2; cytoplasmic; 3.1.1.47; PAF: lysophospholipid transacetylase; hSD-PLA2; anti-PAFAH2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Rat, Pig, Cow
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Applicable Applications for anti-PAFAH2 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




WB (Western Blot)

Dilution: Sample:Kidney (Mouse) Lysate at 40 ugPrimary: Anti- PAFAH2 (bs-21003R) at 1/1000 dilutionSecondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilutionPredicted band size: 44 kDobserved band size: 44 kD



IHC (Immunohistochemistry)

Paraformaldehyde-fixed, paraffin embedded (mouse pancreas); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (PAFAH2) Polyclonal Antibody, Unconjugated (bs-21003R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.



IHC (Immunohistochemistry)
 Paraformaldehyde-fixed, paraffin embedded (rat pancreas); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 degree C for 30min; Antibody incubation with (PAFAH2) Polyclonal Antibody, Unconjugated (bs-21003R) at 1:200 overnight at 4 degree C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4758878
NCBI GeneID	5051
NCBI Accession #	NP_000428.2
NCBI GenBank Nucleotide #	NM_000437.3
UniProt Accession #	Q99487; O15458; Q5SY02; D3DPK1
Molecular Weight	44,036 Da
NCBI Official Full Name	platelet-activating factor acetylhydrolase 2, cytoplasmic
NCBI Official Synonym Full Names	platelet activating factor acetylhydrolase 2
NCBI Official Symbol	PAFAH2
NCBI Official Synonym Symbols	HSD-PLA2
NCBI Protein Information	platelet-activating factor acetylhydrolase 2, cytoplasmic
UniProt Protein Name	Platelet-activating factor acetylhydrolase 2, cytoplasmic
UniProt Gene Name	PAFAH2
UniProt Synonym Gene Names	SD-PLA2; hSD-PLA2
UniProt Entry Name	PAFA2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
 Online datasheet: <https://stage.aaabiotech.com/polyclonal/pafah2-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-immunohistochemistry-western-blot-elisa/291898>