

Rabbit anti-Human CD50 Polyclonal Antibody | anti-CD50 antibody

CD50 Polyclonal Antibody

CATALOG # AAA29193	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

CD50; Polyclonal Antibody; CD50 Polyclonal Antibody; ICAM3; Intercellular adhesion molecule 3; ICAM-3; CDw50; ICAM-R; anti-CD50 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-CD50 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.


IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-CD50 antibody

ICAM proteins are ligands for the leukocyte adhesion protein LFA-1 (integrin alpha-L/beta-2)(PubMed:1448173). ICAM3 is also a ligand for integrin alpha-D/beta-2. In association with integrin alpha-L/beta-2, contributes to apoptotic neutrophil phagocytosis by macrophages (PubMed:23775590).

NCBI AND UNIPROT INFORMATION

NCBI GI #	167466207
NCBI GeneID	3385
NCBI Accession #	NP_002153.2
NCBI GenBank Nucleotide #	NM_002162.3
UniProt Accession #	P32942; Q6PD68
Molecular Weight	59,541 Da
NCBI Official Full Name	intercellular adhesion molecule 3
NCBI Official Synonym Full Names	intercellular adhesion molecule 3
NCBI Official Symbol	ICAM3
NCBI Official Synonym Symbols	CD50; CDW50; ICAM-R
NCBI Protein Information	intercellular adhesion molecule 3; ICAM-3; intercellular adhesion molecule-3
UniProt Protein Name	Intercellular adhesion molecule 3
UniProt Gene Name	ICAM3
UniProt Synonym Gene Names	ICAM-3
UniProt Entry Name	ICAM3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cd50-antibody-western-blot-immunohistochemistry-elisa/29193>