

Rabbit anti-Human CD58 Polyclonal Antibody | anti-CD58 antibody

CD58 Polyclonal Antibody

CATALOG # AAA29194	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

CD58; Polyclonal Antibody; CD58 Polyclonal Antibody; LFA3; Lymphocyte function-associated antigen 3; Ag3; Surface glycoprotein LFA-3; anti-CD58 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-CD58 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-CD58 antibody

Ligand of the T-lymphocyte CD2 glycoprotein. This interaction is important in mediating thymocyte interactions with thymic epithelial cells, antigen-independent and -dependent interactions of T-lymphocytes with target cells and antigen- presenting cells and the T-lymphocyte rosetting with erythrocytes. In addition, the LFA-3/CD2 interaction may prime response by both the CD2+ and LFA-3+ cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	221316575
NCBI GeneID	965
NCBI Accession #	NP_001138294.1
NCBI GenBank Nucleotide #	NM_001144822.1
UniProt Accession #	P19256; Q5U053; Q6IB65; Q96KI9; A8K7G5
Molecular Weight	28,147 Da
NCBI Official Full Name	lymphocyte function-associated antigen 3 isoform 2
NCBI Official Synonym Full Names	CD58 molecule
NCBI Official Symbol	CD58
NCBI Official Synonym Symbols	ag3; LFA3; LFA-3
NCBI Protein Information	lymphocyte function-associated antigen 3; surface glycoprotein LFA-3; CD58 antigen, (lymphocyte function-associated antigen 3)
UniProt Protein Name	Lymphocyte function-associated antigen 3
UniProt Gene Name	CD58
UniProt Synonym Gene Names	LFA3; Ag3
UniProt Entry Name	LFA3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cd58-antibody-western-blot-immunohistochemistry-elisa/29194>