

## Rabbit HSP 90 Polyclonal Antibody | anti-HSP90 antibody

HSP 90 Polyclonal Antibody

| CATALOG # | HOST   | REACTIVITY        | APPLICATIONS                       |
|-----------|--------|-------------------|------------------------------------|
| AAA29220  | Rabbit | Human, Mouse, Rat | Western Blot, Immunohistochemistry |


### PRODUCT SYNONYMS

HSP 90; Polyclonal Antibody; HSP 90 Polyclonal Antibody; HSP90AA1; HSP90A; HSPC1; HSPCA; Heat shock protein HSP 90-alpha; Heat shock 86 kDa; HSP 86; HSP86; Renal carcinoma antigen NY-REN-38; HSP90AB1; HSP90B; HSPC2; HSPCB; Heat shock protein HSP 90-beta; Heat shock 84 kDa; HSP 84; HSP84; anti-HSP90 antibody

### PRODUCT SPECIFICATIONS


|                                                 |                                                                                                                                                       |
|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Host                                            | Rabbit                                                                                                                                                |
| Reactivity                                      | Human, Mouse, Rat                                                                                                                                     |
| Clonality                                       | Polyclonal                                                                                                                                            |
| Form/Format                                     | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.                                                                         |
| Applicable Applications for anti-HSP90 antibody | WB (Western Blot), IHC (Immunohistochemistry)                                                                                                         |
| Application Notes                               | WB: 1/500-1/2000<br>IHC-P: 1/100-1/300<br>ELISA: 1/20000                                                                                              |
| Cellular Location                               | Nucleus. Cytoplasm. Melanosome. Cell membrane. Mitochondrion. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV   |
| Preparation and Storage                         | Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles. |

### IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




#### IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




#### IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



#### IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



#### WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.

## ADDITIONAL INFORMATION

### Related Product Information for anti-HSP90 antibody

Molecular chaperone that promotes the maturation, structural maintenance and proper regulation of specific target proteins involved for instance in cell cycle control and signal transduction. Undergoes a functional cycle that is linked to its ATPase activity which is essential for its chaperone activity. This cycle probably induces conformational changes in the client proteins, thereby causing their activation. Interacts dynamically with various co-chaperones that modulate its substrate recognition, ATPase cycle and chaperone function (PubMed:11274138, PubMed:15577939, PubMed:15937123, PubMed:27353360, PubMed:29127155, PubMed:12526792). Engages with a range of client protein classes via its interaction with various co-chaperone proteins or complexes, that act as adapters, simultaneously able to interact with the specific client and the central chaperone itself (PubMed:29127155). Recruitment of ATP and co-chaperone followed by client protein forms a functional chaperone. After the completion of the chaperoning process, properly folded client protein and co-chaperone leave HSP90 in an ADP-bound partially open conformation and finally, ADP is released from HSP90 which acquires an open conformation for the next cycle (PubMed:27295069, PubMed:26991466). Plays a critical role in mitochondrial import, delivers preproteins to the mitochondrial import receptor TOMM70 (PubMed:12526792). Apart from its chaperone activity, it also plays a role in the regulation of the transcription machinery. HSP90 and its co-chaperones modulate transcription at least at three different levels (PubMed:25973397). In the first place, they alter the steady-state levels of certain transcription factors in response to various physiological cues (PubMed:25973397). Second, they modulate the activity of certain epigenetic modifiers, such as histone deacetylases or DNA methyl transferases, and thereby respond to the change in the environment (PubMed:25973397). Third, they participate in the eviction of histones from the promoter region of certain genes and thereby turn on gene expression (PubMed:25973397). Binds bacterial lipopolysaccharide (LPS) and mediates LPS-induced inflammatory response, including TNF secretion by monocytes (PubMed:11276205). Antagonizes STUB1-mediated inhibition of TGF-beta signaling via inhibition of STUB1-mediated SMAD3 ubiquitination and degradation (PubMed:24613385). Mediates the association of TOMM70 with IRF3 or TBK1 in mitochondria outer membrane which promotes host antiviral response (PubMed:20628368, PubMed:25609812).

NCBI AND UNIPROT INFORMATION

|                                  |                                                                                                                                                                                                                                                                |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NCBI GI #                        | 153792590                                                                                                                                                                                                                                                      |
| NCBI GeneID                      | 3320                                                                                                                                                                                                                                                           |
| NCBI Accession #                 | NP_001017963.2                                                                                                                                                                                                                                                 |
| NCBI GenBank Nucleotide #        | NM_001017963.2                                                                                                                                                                                                                                                 |
| UniProt Accession #              | P07900; Q2PP14; Q5CAQ6; Q5CAQ7; Q9BVQ5; A8K500; B3KPJ9                                                                                                                                                                                                         |
| Molecular Weight                 | 84,660 Da                                                                                                                                                                                                                                                      |
| NCBI Official Full Name          | heat shock protein HSP 90-alpha isoform 1                                                                                                                                                                                                                      |
| NCBI Official Synonym Full Names | heat shock protein 90kDa alpha (cytosolic), class A member 1                                                                                                                                                                                                   |
| NCBI Official Symbol             | HSP90AA1                                                                                                                                                                                                                                                       |
| NCBI Official Synonym Symbols    | EL52; HSPN; LAP2; HSP86; HSPC1; HSPCA; Hsp89; Hsp90; HSP89A; HSP90A; HSP90N; HSPCAL1; HSPCAL4                                                                                                                                                                  |
| NCBI Protein Information         | heat shock protein HSP 90-alpha; HSP 86; heat shock 86 kDa; heat shock 90kD protein 1, alpha; heat shock 90kDa protein 1, alpha; renal carcinoma antigen NY-REN-38; heat shock 90kD protein, alpha-like 4; epididymis luminal secretory protein 52; heat shock |
| UniProt Protein Name             | Heat shock protein HSP 90-alpha                                                                                                                                                                                                                                |
| UniProt Gene Name                | HSP90AA1                                                                                                                                                                                                                                                       |
| UniProt Synonym Gene Names       | HSP90A; HSPC1; HSPCA; HSP 86; HSP86                                                                                                                                                                                                                            |
| UniProt Entry Name               | HS90A_HUMAN                                                                                                                                                                                                                                                    |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://stage.aaabiotech.com/polyclonal/hsp-90-antibody-western-blot-immunohistochemistry-elisa/29220>