

Rabbit CstF-64 Polyclonal Antibody | anti-CstF-64 antibody

Anti-CstF-64 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA292268	Rabbit	Human, Mouse, Rat, Zebrafish, Bovine	Immunohistochemistry, Immunofluorescence, Immunoprecipitation, Western Blot


PRODUCT SYNONYMS

CstF-64; Polyclonal Antibody; Anti-CstF-64 Antibody; Cleavage stimulation factor subunit 2; CF-1 64 kDa subunit; Cleavage stimulation factor 64 kDa subunit; CSTF 64 kDa subunit; anti-CstF-64 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat, Zebrafish, Bovine
Clonality	Polyclonal
Applicable Applications for anti-CstF-64 antibody	IHC (Immunohistochemistry), IF (Immunofluorescence), IP (Immunoprecipitation), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


IF (Immunofluorescence)

Dilution: WB (1/500 - 1/1000), IH (1/100 - 1/200), IF/IC (1/100 - 1/500), IP (1/10 - 1/100)


IHC (Immunohistochemistry)

Dilution: WB: (1/500 - 1/1000), IH (1/100 - 1/200), IF/IC (1/100 - 1/500), IP (1/10 - 1/100) Immunohistochemical analysis of CstF-64 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Dilution: WB (1/500 - 1/1000), IH (1/100 - 1/200), IF/IC (1/100 - 1/500), IP (1/10 - 1/100) Western blot analysis of CstF-64 expression in mouse spleen (A), rat spleen (B), rat brain (C) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-CstF-64 antibody

Rabbit polyclonal antibody to CstF-64
KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human CstF-64. The exact sequence is proprietary.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4557493
NCBI GeneID	1478
NCBI Accession #	NP_001316.1
NCBI GenBank Nucleotide #	NM_001325.2
UniProt Accession #	P33240; Q5H951; Q6LA74; Q8N502
Molecular Weight	60,959 Da
NCBI Official Full Name	cleavage stimulation factor subunit 2
NCBI Official Synonym Full Names	cleavage stimulation factor, 3' pre-RNA, subunit 2, 64kDa
NCBI Official Symbol	CSTF2
NCBI Official Synonym Symbols	CstF-64
NCBI Protein Information	cleavage stimulation factor subunit 2; CF-1 64 kDa subunit; CSTF 64 kDa subunit; betaCstF-64 variant 2; cleavage stimulation factor 64 kDa subunit
UniProt Protein Name	Cleavage stimulation factor subunit 2
UniProt Gene Name	CSTF2
UniProt Synonym Gene Names	CSTF 64 kDa subunit; CstF-64
UniProt Entry Name	CSTF2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cstf-64-antibody-immunohistochemistry-immunofluorescence-immunoprecipitation-western-blot-elisa/292268>