

Rabbit anti-Human, Rat Laminin gamma-2 Polyclonal Antibody | anti-LAMC2 antibody

Laminin gamma-2 Polyclonal Antibody

CATALOG # AAA29237	HOST Rabbit	REACTIVITY Human, Rat	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	---------------------------------	---


PRODUCT SYNONYMS

Laminin gamma-2; Polyclonal Antibody; Laminin gamma-2 Polyclonal Antibody; LAMC2; LAMB2T; LAMNB2; Laminin subunit gamma-2; Cell-scattering factor 140 kDa subunit; CSF 140 kDa subunit; Epiligrin subunit gamma; Kalinin subunit gamma; Kalinin/nicein/epiligrin 100 kDa subunit; Ladsin 140 kDa subunit; Laminin B2t chain; Laminin-5 subunit gamma; Large adhesive scatter factor 140 kDa subunit; Nicein subunit gamma; anti-LAMC2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Rat
Clonality	Polyclonal
Applicable Applications for anti-LAMC2 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES





IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.


Application Data

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-LAMC2 antibody

Binding to cells via a high affinity receptor, laminin is thought to mediate the attachment, migration and organization of cells into tissues during embryonic development by interacting with other extracellular matrix components. Ladsin exerts cell- scattering activity toward a wide variety of cells, including epithelial, endothelial, and fibroblastic cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	34230
NCBI GeneID	3918
UniProt Accession #	Q13753; Q02536; Q02537; Q13752; Q14941; Q14DF7; Q5VYE8
Molecular Weight	130,976 Da
NCBI Official Full Name	Laminin
NCBI Official Synonym Full Names	laminin, gamma 2
NCBI Official Symbol	LAMC2
NCBI Official Synonym Symbols	B2T; CSF; EBR2; BM600; EBR2A; LAMB2T; LAMNB2
NCBI Protein Information	laminin subunit gamma-2; BM600-100kDa; laminin B2t chain; CSF 140 kDa subunit; nicein subunit gamma; kalinin subunit gamma; ladsin 140 kDa subunit; epiligrin subunit gamma; cell-scattering factor 140 kDa subunit; large adhesive scatter factor 140 kDa subu
UniProt Protein Name	Laminin subunit gamma-2
UniProt Gene Name	LAMC2

UniProt Synonym Gene Names	LAMB2T; LAMNB2; CSF 140 kDa subunit
UniProt Entry Name	LAMC2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/laminin-gamma-2-antibody-western-blot-immunohistochemistry-elisa/29237>