

Rabbit anti-Human IFN-gammaRalpha Polyclonal Antibody | anti-IFN-gammaRalpha antibody

IFN-gammaRalpha Polyclonal Antibody

CATALOG # AAA29240	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

IFN-gammaRalpha; Polyclonal Antibody; IFN-gammaRalpha Polyclonal Antibody; IFNGR1; Interferon gamma receptor 1; IFN-gamma receptor 1; IFN-gamma-R1; CDw119; CD119; anti-IFN-gammaRalpha antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-IFN-gammaRalpha antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES





IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.


Application Data

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-IFN-gammaRalpha antibody

Associates with IFNGR2 to form a receptor for the cytokine interferon gamma (IFNG)(PubMed:2971451, PubMed:7617032, PubMed:10986460). Ligand binding stimulates activation of the JAK/STAT signaling pathway (PubMed:7673114). Plays an essential role in the IFN-gamma pathway that is required for the cellular response to infectious agents (PubMed:20015550).

NCBI AND UNIPROT INFORMATION

NCBI GI #	4557880
NCBI GeneID	3459
NCBI Accession #	NP_000407.1
NCBI GenBank Nucleotide #	NM_000416.2
UniProt Accession #	P15260; Q53Y96; E1P587
Molecular Weight	54,405 Da
NCBI Official Full Name	interferon gamma receptor 1
NCBI Official Synonym Full Names	interferon gamma receptor 1
NCBI Official Symbol	IFNGR1
NCBI Official Synonym Symbols	CD119; IFNGR
NCBI Protein Information	interferon gamma receptor 1; CDw119; AVP, type 2; IFN-gamma-R1; CD119 antigen; IFN-gamma receptor 1; antiviral protein, type 2; immune interferon receptor 1; interferon-gamma receptor alpha chain

UniProt Protein Name	Interferon gamma receptor 1
UniProt Gene Name	IFNGR1
UniProt Synonym Gene Names	IFN-gamma receptor 1
UniProt Entry Name	INGR1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ifn-gammaralpha-antibody-western-blot-immunohistochemistry-elisa/29240>