

Rabbit anti-Human Integrin alphaD Polyclonal Antibody | anti-ITGAD antibody

Integrin alphaD Polyclonal Antibody

CATALOG # AAA29263	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

Integrin alphaD; Polyclonal Antibody; Integrin alphaD Polyclonal Antibody; ITGAD; Integrin alpha-D; ADB2; CD11 antigen-like family member D; Leukointegrin alpha D; CD11d; anti-ITGAD antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-ITGAD antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-ITGAD antibody

Integrin alpha-D/beta-2 is a receptor for ICAM3 and VCAM1. May play a role in the atherosclerotic process such as clearing lipoproteins from plaques and in phagocytosis of blood-borne pathogens, particulate matter, and senescent erythrocytes from the blood.

NCBI AND UNIPROT INFORMATION

NCBI GI #	62548866
NCBI GeneID	3681
NCBI Accession #	NP_005344.2
NCBI GenBank Nucleotide #	NM_005353.2
UniProt Accession #	Q13349; Q15575; Q15576
Molecular Weight	126,758 Da
NCBI Official Full Name	integrin alpha-D
NCBI Official Synonym Full Names	integrin, alpha D
NCBI Official Symbol	ITGAD
NCBI Official Synonym Symbols	ADB2; CD11D
NCBI Protein Information	integrin alpha-D; leukointegrin alpha D; CD11 antigen-like family member D

UniProt Protein Name	Integrin alpha-D
UniProt Gene Name	ITGAD
UniProt Entry Name	ITAD_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/integrin-alphad-antibody-western-blot-immunohistochemistry-elisa/29263>