

Rabbit anti-Human NKp44 Polyclonal Antibody | anti-NKp44 antibody

NKp44 Polyclonal Antibody

CATALOG # AAA29270	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---

PRODUCT SYNONYMS

NKp44; Polyclonal Antibody; NKp44 Polyclonal Antibody; NCR2; LY95; Natural cytotoxicity triggering receptor 2; Lymphocyte antigen 95 homolog; NK cell-activating receptor; Natural killer cell p44-related protein; NK-p44; CD336; anti-NKp44 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-NKp44 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




Application Data

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-NKp44 antibody	Cytotoxicity-activating receptor that may contribute to the increased efficiency of activated natural killer (NK) cells to mediate tumor cell lysis.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	251757303
NCBI GeneID	9436
UniProt Accession #	O95944; Q9H562; Q9H563; Q9H564; Q9UMT1; Q9UMT2
Molecular Weight	276
NCBI Official Full Name	Natural cytotoxicity triggering receptor 2
NCBI Official Synonym Full Names	natural cytotoxicity triggering receptor 2
NCBI Official Symbol	NCR2
NCBI Official Synonym Symbols	LY95; CD336; NKP44; NK-p44; dJ149M18.1
NCBI Protein Information	natural cytotoxicity triggering receptor 2; NK cell-activating receptor; NK cell activating receptor (NKp44); natural killer cell p44-related protein; lymphocyte antigen 95 (activating NK-receptor; NK-p44); lymphocyte antigen 95 homolog (activating NK-rec
UniProt Protein Name	Natural cytotoxicity triggering receptor 2
UniProt Gene Name	NCR2
UniProt Synonym Gene Names	LY95; NK-p44; NKp44
UniProt Entry Name	NCTR2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/nkp44-antibody-western-blot-immunohistochemistry-elisa/29270>