

Rabbit CRF-RI Polyclonal Antibody | anti-CRF-RI antibody

CRF-RI Polyclonal Antibody

CATALOG # AAA29273	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

CRF-RI; Polyclonal Antibody; CRF-RI Polyclonal Antibody; CRHR1; CRFR; CRFR1; CRHR; Corticotropin-releasing factor receptor 1; CRF-R-1; CRF-R1; CRFR-1; Corticotropin-releasing hormone receptor 1; CRH-R-1; CRH-R1; anti-CRF-RI antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-CRF-RI antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.


IHC (Immunohistochemistry)


Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.


IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-CRF-R1 antibody

G-protein coupled receptor for CRH (corticotropin- releasing factor) and UCN (urocortin). Has high affinity for CRH and UCN. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and down-stream effectors, such as adenylate cyclase. Promotes the activation of adenylate cyclase, leading to increased intracellular cAMP levels. Inhibits the activity of the calcium channel CACNA1H. Required for normal embryonic development of the adrenal gland and for normal hormonal responses to stress. Plays a role in the response to anxiogenic stimuli.

NCBI AND UNIPROT INFORMATION

NCBI GI #	223717971
NCBI GeneID	1394
NCBI Accession #	NP_001138618.1
NCBI GenBank Nucleotide #	NM_001145146.1
UniProt Accession #	P34998; Q13008; Q4QRJ1; Q9UK64; B4DIE9
Molecular Weight	50,719 Da
NCBI Official Full Name	corticotropin-releasing factor receptor 1 isoform 1
NCBI Official Synonym Full Names	corticotropin releasing hormone receptor 1
NCBI Official Symbol	CRHR1
NCBI Official Synonym Symbols	CRF1; CRHR; CRF-R; CRFR1; CRF-R1; CRFR-1; CRH-R1; CRHR1L; CRHR1f; CRF-R-1; CRH-R-1; CRH-R1h
NCBI Protein Information	corticotropin-releasing factor receptor 1; seven transmembrane helix receptor; corticotropin-releasing hormone receptor 1; corticotropin-releasing factor type 1 receptor; corticotropin releasing hormone receptor variant 1e; corticotropin releasing hormone
UniProt Protein Name	Corticotropin-releasing factor receptor 1
UniProt Gene Name	CRHR1
UniProt Synonym Gene Names	CRFR; CRFR1; CRHR; CRF-R-1; CRF-R1; CRFR-1; CRH-R-1; CRH-R1
UniProt Entry Name	CRFR1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/crf-ri-antibody-western-blot-immunohistochemistry-elisa/29273>