

Rabbit anti-Human IL-6Ralpha Polyclonal Antibody | anti-IL-6Ralpha antibody

IL-6Ralpha Polyclonal Antibody

CATALOG # AAA29294	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

IL-6Ralpha; Polyclonal Antibody; IL-6Ralpha Polyclonal Antibody; IL6R; Interleukin-6 receptor subunit alpha; IL-6 receptor subunit alpha; IL-6R subunit alpha; IL-6R-alpha; IL-6RA; IL-6R 1; Membrane glycoprotein 80; gp80; CD126; anti-IL-6Ralpha antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-IL-6Ralpha antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES





IHC (Immunohistochemistry)

Dilution: IHC-p: 100-300. Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.



IHC (Immunohistochemistry)

Dilution: IHC-p: 100-300. Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: IHC-p: 100-300. Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.


Application Data

Dilution: IHC-p: 100-300. Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: IHC-p: 100-300. Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: IHC-p: 100-300. Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-IL-6Ralpha antibody

Part of the receptor for interleukin 6. Binds to IL6 with low affinity, but does not transduce a signal. Signal activation necessitate an association with IL6ST. Activation may lead to the regulation of the immune response, acute-phase reactions and hematopoiesis.

NCBI AND UNIPROT INFORMATION

NCBI GI #	633863
NCBI GeneID	3570
UniProt Accession #	P08887; Q16202; Q53EQ7; Q5FWG2; Q5VZ23; A8KAE8; B2R6V4
Molecular Weight	51,548 Da
NCBI Official Full Name	Soluble interleukin-6 receptor
NCBI Official Synonym Full Names	interleukin 6 receptor
NCBI Official Symbol	IL6R
NCBI Official Synonym Symbols	IL6Q; gp80; CD126; IL6RA; IL6RQ; IL-6RA; IL-6R-1
NCBI Protein Information	interleukin-6 receptor subunit alpha; IL-6R 1; CD126 antigen; membrane glycoprotein 80; IL-6 receptor subunit alpha
UniProt Protein Name	Interleukin-6 receptor subunit alpha
UniProt Gene Name	IL6R

UniProt Synonym Gene Names	IL-6 receptor subunit alpha; IL-6R subunit alpha; IL-6R-alpha; IL-6RA; gp80
UniProt Entry Name	IL6RA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/il-6ralpha-antibody-western-blot-immunohistochemistry-elisa/29294>