

Rabbit 11beta-HSD1 Polyclonal Antibody | anti-11beta-HSD1 antibody

11beta-HSD1 Polyclonal Antibody

CATALOG # AAA29298	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

11beta-HSD1; Polyclonal Antibody; 11beta-HSD1 Polyclonal Antibody; HSD11B1; HSD11; HSD11L; Corticosteroid 11-beta-dehydrogenase isozyme 1; 11-beta-hydroxysteroid dehydrogenase 1; 11-DH; 11-beta-HSD1; anti-11beta-HSD1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-11beta-HSD1 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.




WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.




IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.



IHC (Immunohistochemistry-Paraffin)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-11beta-HSD1 antibody

Catalyzes reversibly the conversion of cortisol to the inactive metabolite cortisone. Catalyzes reversibly the conversion of 7-ketocholesterol to 7-beta-hydroxycholesterol. In intact cells, the reaction runs only in one direction, from 7- ketocholesterol to 7-beta-hydroxycholesterol (By similarity).

NCBI AND UNIPROT INFORMATION

NCBI GI #	332078483
NCBI GeneID	3290
NCBI Accession #	NP_001193670.1
NCBI GenBank Nucleotide #	NM_001206741.1
UniProt Accession #	P28845; B2R9Z1; D3DT89
Molecular Weight	32,401 Da
NCBI Official Full Name	corticosteroid 11-beta-dehydrogenase isozyme 1
NCBI Official Synonym Full Names	hydroxysteroid (11-beta) dehydrogenase 1
NCBI Official Symbol	HSD11B1
NCBI Official Synonym Symbols	HDL; 11-DH; HSD11; HSD11B; HSD11L; CORTRD2; SDR26C1; 11-beta-HSD1
NCBI Protein Information	corticosteroid 11-beta-dehydrogenase isozyme 1; short chain dehydrogenase/reductase family 26C, member 1
UniProt Protein Name	Corticosteroid 11-beta-dehydrogenase isozyme 1
UniProt Gene Name	HSD11B1

UniProt Synonym Gene Names	HSD11; HSD11L; 11-DH
UniProt Entry Name	DHI1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/11beta-hsd1-antibody-western-blot-immunohistochemistry-elisa/29298>