

Mouse anti-Rat, M PI3 Kinase P85alpha Monoclonal Antibody | anti-PI3Kinase antibody

PI3 Kinase P85alpha Monoclonal Antibody (2D2)

CATALOG # AAA293703	HOST Mouse	REACTIVITY Rat, M	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	----------------------	-----------------------------	---


PRODUCT SYNONYMS

PI3 Kinase P85alpha; Monoclonal Antibody; PI3 Kinase P85alpha Monoclonal Antibody (2D2); PIK3R1; GRB1; Phosphatidylinositol 3-kinase regulatory subunit alpha; PI3-kinase regulatory subunit alpha; PI3K regulatory subunit alpha; PtdIns-3-kinase regulatory subunit alpha; Phosphatidylinositol 3-kinase 85 kDa regulatory subunit alpha; PI3-kinase subunit p85-alpha; PtdIns-3-kinase regulatory subunit p85-alpha; anti-PI3Kinase antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Rat, M
Clonality	Monoclonal
Clone Number	2D2
Applicable Applications for anti-PI3Kinase antibody	IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


Application Data

Dilution: WB 1:1000-2000, IHC 1:100-200


Application Data

Dilution: WB 1:1000-2000, IHC 1:100-200



WB (Western Blot)
Dilution: WB 1:1000-2000, IHC 1:100-200

ADDITIONAL INFORMATION

Related Product Information for anti-PI3Kinase antibody	Binds to activated (phosphorylated) protein-Tyr kinases, through its SH2 domain, and acts as an adapter, mediating the association of the p110 catalytic unit to the plasma membrane. Necessary for the insulin-stimulated increase in glucose uptake and glycogen synthesis in insulin-sensitive tissues. Plays an important role in signaling in response to FGFR1, FGFR2, FGFR3, FGFR4, KITLG/SCF, KIT, PDGFRA and PDGFRB. Likewise, plays a role in ITGB2 signaling (PubMed:19805105, PubMed:7518429). Modulates the cellular response to ER stress by promoting nuclear translocation of XBP1 isoform 2 in a ER stress- and/or insulin-dependent manner during metabolic overloading in the liver and hence plays a role in glucose tolerance improvement (PubMed:20348923).
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	335057534
NCBI GeneID	5295
NCBI Accession #	NP_001229395.1
NCBI GenBank Nucleotide #	NM_001242466.1
UniProt Accession #	P27986; Q15747; Q4VBZ7; Q53EM6; Q8IXA2; Q8N1C5; B3KT19; D3DWA0; E7EX19
Molecular Weight	83,598 Da
NCBI Official Full Name	phosphatidylinositol 3-kinase regulatory subunit alpha isoform 4
NCBI Official Synonym Full Names	phosphoinositide-3-kinase, regulatory subunit 1 (alpha)
NCBI Official Symbol	PIK3R1
NCBI Official Synonym Symbols	p85; AGM7; GRB1; p85-ALPHA
NCBI Protein Information	phosphatidylinositol 3-kinase regulatory subunit alpha; PI3-kinase subunit p85-alpha; PI3K regulatory subunit alpha; ptdIns-3-kinase regulatory subunit alpha; phosphoinositide-3-kinase regulatory subunit; phosphatidylinositol 3-kinase-associated p-85 alph
UniProt Protein Name	Phosphatidylinositol 3-kinase regulatory subunit alpha
UniProt Gene Name	PIK3R1
UniProt Synonym Gene Names	GRB1; PI3-kinase regulatory subunit alpha; PI3K regulatory subunit alpha; PtdIns-3-kinase regulatory subunit alpha; PI3-kinase subunit p85-alpha
UniProt Entry Name	P85A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

