

Rabbit Abi-1 Polyclonal Antibody | anti-Abi-1 antibody

Abi-1 Polyclonal Antibody

CATALOG # AAA294184	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	--	-------------------------------------


PRODUCT SYNONYMS

Abi-1; Polyclonal Antibody; Abi-1 Polyclonal Antibody; ABI1; SSH3BP1; Abl interactor 1; Abelson interactor 1; Abl-binding protein 4; AblBP4; Eps8 SH3 domain-binding protein; Eps8-binding protein; Nap1-binding protein; Nap1BP; Spectrin SH3 domain-binding protein 1; e3B1; anti-Abi-1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-Abi-1 antibody	WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-Abi-1 antibody

May act in negative regulation of cell growth and transformation by interacting with nonreceptor tyrosine kinases ABL1 and/or ABL2. May play a role in regulation of EGF-induced Erk pathway activation. Involved in cytoskeletal reorganization and EGFR signaling. Together with EPS8 participates in transduction of signals from Ras to Rac. In vitro, a trimeric complex of ABI1, EPS8 and SOS1 exhibits Rac specific guanine nucleotide exchange factor (GEF) activity and ABI1 seems to act as an adapter in the complex. Regulates ABL1/c-Abl-mediated phosphorylation of ENAH. Recruits WASF1 to lamellipodia and there seems to regulate WASF1 protein level. In brain, seems to regulate the dendritic outgrowth and branching as well as to determine the shape and number of synaptic contacts of developing neurons.

NCBI AND UNIPROT INFORMATION

NCBI GI #	50400546
NCBI GeneID	10006
UniProt Accession #	Q8IZP0; O15147; O76049; O95060; Q5T2R3; Q5T2R4; Q5T2R6; Q5T2R7; A9Z1Y6; B3KX62; B4DQ58; H7BXI6
Molecular Weight	53,912 Da
NCBI Official Full Name	Abl interactor 1
NCBI Official Synonym Full Names	abl-interactor 1
NCBI Official Symbol	ABI1
NCBI Official Synonym Symbols	E3B1; ABI-1; ABLBP4; NAP1BP; SSH3BP; SSH3BP1
NCBI Protein Information	abl interactor 1; Abelson interactor 1; nap1 binding protein; abl-binding protein 4; interactor protein AblBP4; Abl-interactor protein 1 long; eps8 SH3 domain-binding protein; spectrin SH3 domain-binding protein 1
UniProt Protein Name	Abl interactor 1
UniProt Gene Name	ABI1
UniProt Synonym Gene Names	SSH3BP1; Abi-1; AblBP4; Eps8-binding protein; Nap1BP
UniProt Entry Name	ABI1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.