

Rabbit C-TAK1 Polyclonal Antibody | anti-C-TAK1 antibody

C-TAK1 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA294576	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

C-TAK1; Polyclonal Antibody; C-TAK1 Polyclonal Antibody; MARK3; CTAK1; EMK2; MAP/microtubule affinity-regulating kinase 3; cTAK1; Cdc25C-associated protein kinase 1; ELKL motif kinase 2; EMK-2; Protein kinase STK10; Ser/Thr protein kinase PAR-1; Par-1a; Serine/threonine-protein kinase p78; anti-C-TAK1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-C-TAK1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.
Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.
Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-C-TAK1 antibody

Serine/threonine-protein kinase (PubMed:23666762). Involved in the specific phosphorylation of microtubule-associated proteins for MAP2 and MAP4. Phosphorylates the microtubule-associated protein MAPT/TAU (PubMed:23666762). Phosphorylates CDC25C on 'Ser-216'. Regulates localization and activity of some histone deacetylases by mediating phosphorylation of HDAC7, promoting subsequent interaction between HDAC7 and 14-3-3 and export from the nucleus (PubMed:16980613). Negatively regulates the Hippo signaling pathway and antagonizes the phosphorylation of LATS1. Cooperates with DLG5 to inhibit the kinase activity of STK3/MST2 toward LATS1 (PubMed:28087714).

NCBI AND UNIPROT INFORMATION

NCBI GI #	193083125
NCBI GeneID	4140
NCBI Accession #	NP_001122390.1
NCBI GenBank Nucleotide #	NM_001128918.1
UniProt Accession #	P27448; O60219; Q86TT8; Q8TB41; Q8WX83; Q96RG1; Q9UMY9; Q9UN34
Molecular Weight	84,489 Da
NCBI Official Full Name	MAP/microtubule affinity-regulating kinase 3 isoform a
NCBI Official Synonym Full Names	MAP/microtubule affinity-regulating kinase 3
NCBI Official Symbol	MARK3
NCBI Official Synonym Symbols	KP78; CTAK1; PAR1A; Par-1a
NCBI Protein Information	MAP/microtubule affinity-regulating kinase 3; EMK-2; C-TAK1; ELKL motif kinase 2; protein kinase STK10; ser/Thr protein kinase PAR-1; cdc25C-associated protein kinase 1; serine/threonine-protein kinase p78
UniProt Protein Name	MAP/microtubule affinity-regulating kinase 3
UniProt Gene Name	MARK3
UniProt Synonym Gene Names	CTAK1; EMK2; cTAK1; EMK-2; Par-1a
UniProt Entry Name	MARK3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/c-tak1-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/294576>