

Rabbit HDAC7 Polyclonal Antibody | anti-HDAC7 antibody

HDAC7 Polyclonal Antibody

CATALOG # AAA294981	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	--	-------------------------------------


PRODUCT SYNONYMS

HDAC7; Polyclonal Antibody; HDAC7 Polyclonal Antibody; HDAC7A; Histone deacetylase 7; HD7; Histone deacetylase 7A; HD7a; anti-HDAC7 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-HDAC7 antibody	WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-HDAC7 antibody

Responsible for the deacetylation of lysine residues on the N-terminal part of the core histones (H2A, H2B, H3 and H4). Histone deacetylation gives a tag for epigenetic repression and plays an important role in transcriptional regulation, cell cycle progression and developmental events. Histone deacetylases act via the formation of large multiprotein complexes. Involved in muscle maturation by repressing transcription of myocyte enhancer factors such as MEF2A, MEF2B and MEF2C. During muscle differentiation, it shuttles into the cytoplasm, allowing the expression of myocyte enhancer factors (By similarity). May be involved in Epstein-Barr virus (EBV) latency, possibly by repressing the viral BZLF1 gene. Positively regulates the transcriptional repressor activity of FOXP3 (PubMed:17360565).

NCBI AND UNIPROT INFORMATION

NCBI GI #	148539870
NCBI GeneID	51564
NCBI Accession #	NP_001091886.1
NCBI GenBank Nucleotide #	NM_001098416.2
UniProt Accession #	Q8WUI4; Q6P1W9; Q6W9G7; Q7Z4K2; Q7Z5I1; Q96K01; Q9BR73; Q9H7L0; Q9NW41; B3KY08; B4DWI0; B4E0Q5
Molecular Weight	102,927 Da
NCBI Official Full Name	histone deacetylase 7 isoform d
NCBI Official Synonym Full Names	histone deacetylase 7
NCBI Official Symbol	HDAC7
NCBI Official Synonym Symbols	HD7A; HDAC7A
NCBI Protein Information	histone deacetylase 7; HD7; histone deacetylase 7A
UniProt Protein Name	Histone deacetylase 7
UniProt Gene Name	HDAC7
UniProt Synonym Gene Names	HDAC7A; HD7; HD7a
UniProt Entry Name	HDAC7_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/hdac7-antibody-western-blot-elisa/294981>