

Rabbit HSP60 Polyclonal Antibody | anti-HSP60 antibody

HSP60 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA295036	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

HSP60; Polyclonal Antibody; HSP60 Polyclonal Antibody; HSPD1; 60 kDa heat shock protein; mitochondrial; 60 kDa chaperonin; Chaperonin 60; CPN60; Heat shock protein 60; HSP-60; Hsp60; HuCHA60; Mitochondrial matrix protein P1; P60 lymphocyte protein; anti-HSP60 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-HSP60 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES



IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.


Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-HSP60 antibody

Chaperonin implicated in mitochondrial protein import and macromolecular assembly. Together with Hsp10, facilitates the correct folding of imported proteins. May also prevent misfolding and promote the refolding and proper assembly of unfolded polypeptides generated under stress conditions in the mitochondrial matrix (PubMed:11422376). The functional units of these chaperonins consist of heptameric rings of the large subunit Hsp60, which function as a back-to-back double ring. In a cyclic reaction, Hsp60 ring complexes bind one unfolded substrate protein per ring, followed by the binding of ATP and association with 2 heptameric rings of the co-chaperonin Hsp10. This leads to sequestration of the substrate protein in the inner cavity of Hsp60 where, for a certain period of time, it can fold undisturbed by other cell components. Synchronous hydrolysis of ATP in all Hsp60 subunits results in the dissociation of the chaperonin rings and the release of ADP and the folded substrate protein (Probable).

NCBI AND UNIPROT INFORMATION

NCBI GI #	31542947
NCBI GeneID	3329
NCBI Accession #	NP_002147.2
NCBI GenBank Nucleotide #	NM_002156.4
UniProt Accession #	P10809 ; Q38L19 ; Q9UCR6 ; B2R5M6
Molecular Weight	61,055 Da
NCBI Official Full Name	60 kDa heat shock protein, mitochondrial
NCBI Official Synonym Full Names	heat shock 60kDa protein 1 (chaperonin)
NCBI Official Symbol	HSPD1
NCBI Official Synonym Symbols	HLD4; CPN60; GROEL; HSP60; HSP65; SPG13; HSP-60; HuCHA60
NCBI Protein Information	60 kDa heat shock protein, mitochondrial; chaperonin 60; 60 kDa chaperonin; heat shock protein 65; P60 lymphocyte protein; mitochondrial matrix protein P1; short heat shock protein 60 Hsp60s1
UniProt Protein Name	60 kDa heat shock protein, mitochondrial
UniProt Gene Name	HSPD1
UniProt Synonym Gene Names	HSP60; CPN60; HSP-60; Hsp60
UniProt Entry Name	CH60_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/hsp60-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/295036>