

Rabbit anti-Human IL-17RC Polyclonal Antibody | anti-IL-17RC antibody

IL-17RC Polyclonal Antibody

CATALOG # AAA295065	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot
-------------------------------	-----------------------	----------------------------	-------------------------------------


PRODUCT SYNONYMS

IL-17RC; Polyclonal Antibody; IL-17RC Polyclonal Antibody; IL17RC; Interleukin-17 receptor C; IL-17 receptor C; Interleukin-17 receptor homolog; IL17Rhom; Interleukin-17 receptor-like protein; IL-17RL; ZcytoR14; anti-IL-17RC antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-IL-17RC antibody	WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-IL-17RC antibody

Receptor for IL17A and IL17F homodimers as part of a heterodimeric complex with IL17RA (PubMed:16785495). Receptor for the heterodimer formed by IL17A and IL17B as part of a heterodimeric complex with IL17RA (PubMed:18684971). Has also been shown to be the cognate receptor for IL17F and to bind IL17A with high affinity without the need for IL17RA (PubMed:17911633). Activation of IL17RC leads to induction of expression of inflammatory chemokines and cytokines such as CXCL1 (PubMed:16785495).

NCBI AND UNIPROT INFORMATION

NCBI GI #	322812168
NCBI GeneID	84818
NCBI Accession #	NP_001190192.1
NCBI GenBank Nucleotide #	NM_001203263.1
UniProt Accession #	Q8NAC3; Q6UVY3; Q6UWD4; Q8NFS1; Q9BR97
Molecular Weight	86,240 Da
NCBI Official Full Name	interleukin-17 receptor C isoform 4
NCBI Official Synonym Full Names	interleukin 17 receptor C
NCBI Official Symbol	IL17RC
NCBI Official Synonym Symbols	IL17RL; IL17-RL
NCBI Protein Information	interleukin-17 receptor C; IL-17RL; IL17Rhom; zcytoR14; IL17F receptor; IL-17 receptor C; interleukin-17 receptor homolog; interleukin-17 receptor-like protein
UniProt Protein Name	Interleukin-17 receptor C
UniProt Gene Name	IL17RC
UniProt Synonym Gene Names	IL-17 receptor C; IL-17RC; IL17Rhom; IL-17RL
UniProt Entry Name	I17RC_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.