

Rabbit anti-Human, Mouse IRF-4 Polyclonal Antibody | anti-IRF-4 antibody

IRF-4 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA295094	Rabbit	Human, Mouse	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

IRF-4; Polyclonal Antibody; IRF-4 Polyclonal Antibody; IRF4; MUM1; Interferon regulatory factor 4; Lymphocyte-specific interferon regulatory factor; LSIRF; Multiple myeloma oncogene 1; NF-EM5; anti-IRF-4 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Applicable Applications for anti-IRF-4 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES



IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.


Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.


Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-IRF-4 antibody

Transcriptional activator. Binds to the interferon- stimulated response element (ISRE) of the MHC class I promoter. Binds the immunoglobulin lambda light chain enhancer, together with PU.1. Probably plays a role in ISRE-targeted signal transduction mechanisms specific to lymphoid cells. Involved in CD8 (+) dendritic cell differentiation by forming a complex with the BATF-JUNB heterodimer in immune cells, leading to recognition of AICE sequence (5'-TGAnTCA/GAAA-3'), an immune-specific regulatory element, followed by cooperative binding of BATF and IRF4 and activation of genes (By similarity).

NCBI AND UNIPROT INFORMATION

NCBI GI #	305632828
NCBI GeneID	3662
NCBI Accession #	NP_001182215.1
NCBI GenBank Nucleotide #	NM_001195286.1
UniProt Accession #	Q15306; Q5VUI7; Q99660
Molecular Weight	51,772 Da
NCBI Official Full Name	interferon regulatory factor 4 isoform 2
NCBI Official Synonym Full Names	interferon regulatory factor 4
NCBI Official Symbol	IRF4
NCBI Official Synonym Symbols	MUM1; LSIRF; NF-EM5
NCBI Protein Information	interferon regulatory factor 4; multiple myeloma oncogene 1; lymphocyte-specific interferon regulatory factor
UniProt Protein Name	Interferon regulatory factor 4
UniProt Gene Name	IRF4
UniProt Synonym Gene Names	MUM1; IRF-4; LSIRF
UniProt Entry Name	IRF4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/irf-4-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/295094>