

Rabbit anti-Human IL-8Rbeta Polyclonal Antibody | anti-IL-8Rbeta antibody

IL-8Rbeta Polyclonal Antibody

CATALOG # AAA296257	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

IL-8Rbeta; Polyclonal Antibody; IL-8Rbeta Polyclonal Antibody; CXCR2; IL8RB; C-X-C chemokine receptor type 2; CXC-R2; CXCR-2; CDw128b; GRO/MGSA receptor; High affinity interleukin-8 receptor B; IL-8R B; IL-8 receptor type 2; CD182; anti-IL-8Rbeta antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-IL-8Rbeta antibody	IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemisry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



IHC (Immunohiostchemistry)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-IL-8Rbeta antibody

Receptor for interleukin-8 which is a powerful neutrophil chemotactic factor. Binding of IL-8 to the receptor causes activation of neutrophils. This response is mediated via a G-protein that activates a phosphatidylinositol-calcium second messenger system. Binds to IL-8 with high affinity. Also binds with high affinity to CXCL3, GRO/MGSA and NAP-2.

NCBI AND UNIPROT INFORMATION

NCBI GI #	269973859
NCBI GeneID	3579
NCBI Accession #	NP_001161770.1
NCBI GenBank Nucleotide #	NM_001168298.1
UniProt Accession #	P25025; Q8IUZ1; Q9P2T6; Q9P2T7; AAA15417; AAB24742
Molecular Weight	40,759 Da
NCBI Official Full Name	C-X-C chemokine receptor type 2
NCBI Official Synonym Full Names	chemokine (C-X-C motif) receptor 2
NCBI Official Symbol	CXCR2
NCBI Official Synonym Symbols	CD182; IL8R2; IL8RA; IL8RB; CMKAR2; CDw128b
NCBI Protein Information	C-X-C chemokine receptor type 2; CXC-R2; CXCR-2; IL-8R B; GRO/MGSA receptor; IL-8 receptor type 2; interleukin 8 receptor B; chemokine (CXC) receptor 2; interleukin 8 receptor, beta; interleukin 8 receptor type 2; interleukin-8 receptor type B; CXCR2 gene
UniProt Protein Name	C-X-C chemokine receptor type 2
UniProt Gene Name	CXCR2
UniProt Synonym Gene Names	IL8RB; CXC-R2; CXCR-2; IL-8R B
UniProt Entry Name	CXCR2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/il-8rbeta-antibody-immunohistochemistry-western-blot-elisa/296257>