

Rabbit anti-Human DcR1 Polyclonal Antibody | anti-DcR1 antibody

DcR1 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA296304	Rabbit	Human	Western Blot


PRODUCT SYNONYMS

DcR1; Polyclonal Antibody; DcR1 Polyclonal Antibody; TNFRSF10C; DCR1; LIT; TRAILR3; TRID; Tumor necrosis factor receptor superfamily member 10C; Antagonist decoy receptor for TRAIL/Apo-2L; Decoy TRAIL receptor without death domain; Decoy receptor 1; Lymphocyte inhibitor of TRAIL; TNF-related apoptosis-inducing ligand receptor 3; TRAIL receptor 3; TRAIL-R3; TRAIL receptor without an intracellular domain; CD263; anti-DcR1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-DcR1 antibody	WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.



WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-DcR1 antibody	Receptor for the cytotoxic ligand TRAIL. Lacks a cytoplasmic death domain and hence is not capable of inducing apoptosis. May protect cells against TRAIL mediated apoptosis by competing with TRAIL-R1 and R2 for binding to the ligand.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	269849734
NCBI GeneID	8794

UniProt Accession #	O14798 ; O14755 ; Q08AS6 ; Q6FH98 ; Q6UXM5
Molecular Weight	259
NCBI Official Full Name	Tumor necrosis factor receptor superfamily member 10C
NCBI Official Synonym Full Names	tumor necrosis factor receptor superfamily, member 10c, decoy without an intracellular domain
NCBI Official Symbol	TNFRSF10C
NCBI Official Synonym Symbols	LIT; DCR1; TRID; CD263; TRAILR3; TRAIL-R3; DCR1-TNFR
NCBI Protein Information	tumor necrosis factor receptor superfamily member 10C; decoy receptor 1; cytotoxic TRAIL receptor-3; lymphocyte inhibitor of TRAIL; decoy TRAIL receptor without death domain; antagonist decoy receptor for TRAIL/Apo-2L; TNF-related apoptosis-inducing ligand
UniProt Protein Name	Tumor necrosis factor receptor superfamily member 10C
UniProt Gene Name	TNFRSF10C
UniProt Synonym Gene Names	DCR1; LIT; TRAILR3; TRID; DcR1; TRAIL receptor 3; TRAIL-R3
UniProt Entry Name	TR10C_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/dcr1-antibody-western-blot-elisa/296304>