

Rabbit anti-Human, Mouse Ebi3 Polyclonal Antibody | anti-EBI3 antibody

Ebi3 Polyclonal Antibody

CATALOG # AAA296395	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS Western Blot
-------------------------------	-----------------------	-----------------------------------	-------------------------------------


PRODUCT SYNONYMS

Ebi3; Polyclonal Antibody; Ebi3 Polyclonal Antibody; EBI3; IL27B; Interleukin-27 subunit beta; IL-27 subunit beta; IL-27B; Epstein-Barr virus-induced gene 3 protein; EBV-induced gene 3 protein; anti-EBI3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Applicable Applications for anti-EBI3 antibody	WB (Western Blot)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.


WB (Western Blot)

Dilution: Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-EBI3 antibody

Associates with IL27 to form the IL-27 interleukin, a heterodimeric cytokine which functions in innate immunity. IL-27 has pro- and anti-inflammatory properties, that can regulate T- helper cell development, suppress T-cell proliferation, stimulate cytotoxic T-cell activity, induce isotype switching in B-cells, and that has diverse effects on innate immune cells. Among its target cells are CD4 T-helper cells which can differentiate in type 1 effector cells (TH1), type 2 effector cells (TH2) and IL17 producing helper T-cells (TH17). It drives rapid clonal expansion of naive but not memory CD4 T-cells. It also strongly synergizes with IL-12 to trigger interferon-gamma/IFN-gamma production of naive CD4 T-cells, binds to the cytokine receptor WSX-1/TCCR. Another important role of IL-27 is its antitumor activity as well as its antiangiogenic activity with activation of production of antiangiogenic chemokines.

NCBI AND UNIPROT INFORMATION

NCBI GI #	14577917
NCBI GeneID	10148
NCBI Accession #	NP_005746.2
NCBI GenBank Nucleotide #	NM_005755.2
UniProt Accession #	Q14213; O75269; A0N0N2
Molecular Weight	25,396 Da
NCBI Official Full Name	interleukin-27 subunit beta
NCBI Official Synonym Full Names	Epstein-Barr virus induced 3
NCBI Official Symbol	EBI3
NCBI Official Synonym Symbols	IL27B; IL-27B
NCBI Protein Information	interleukin-27 subunit beta
UniProt Protein Name	Interleukin-27 subunit beta
UniProt Gene Name	EBI3
UniProt Synonym Gene Names	IL27B; IL-27 subunit beta; IL-27B; EBV-induced gene 3 protein
UniProt Entry Name	IL27B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ebi3-antibody-western-blot-elisa/296395>