

Rabbit anti-Human CCL14 Polyclonal Antibody | anti-CCL14 antibody

CCL14 Polyclonal Antibody

CATALOG # AAA296577	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

CCL14; Polyclonal Antibody; CCL14 Polyclonal Antibody; C-C motif chemokine 14 (Chemokine CC-1/CC-3)(HCC-1/HCC-3)(HCC-1 (1-74))(NCC-2)(Small-inducible cytokine A14)[Cleaved into: HCC-1 (3-74); HCC-1 (4-74); HCC-1 (9-74)]; anti-CCL14 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Applicable Applications for anti-CCL14 antibody	IHC (Immunohistochemistry)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
Dilution: IHC-p 1:50-200, ELISA 1:10000-20000



IHC (Immunohistochemistry)
Dilution: IHC-p 1:50-200, ELISA 1:10000-20000



IHC (Immunohistochemistry)
Dilution: IHC-p 1:50-200, ELISA 1:10000-20000



IHC (Immunohistochemistry)
Dilution: IHC-p 1:50-200, ELISA 1:10000-20000

ADDITIONAL INFORMATION

Related Product Information for anti-CCL14 antibody	Has weak activities on human monocytes and acts via receptors that also recognize MIP-1 alpha. It induces intracellular Ca (2+) changes and enzyme release, but no chemotaxis, at concentrations of 100-1, 000 nM, and is inactive on T-lymphocytes, neutrophils, and eosinophil leukocytes. Enhances the proliferation of CD34 myeloid progenitor cells. The processed form HCC-1 (9-74) is a chemotactic factor that attracts monocytes, eosinophils, and T-cells and is a ligand for CCR1, CCR3 and CCR5.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	14589961
NCBI GeneID	6358
NCBI Accession #	NP_116739.1
NCBI GenBank Nucleotide #	NM_032963.3
UniProt Accession #	Q16627; Q13954; E1P649; E1P650
Molecular Weight	10,678 Da
NCBI Official Full Name	C-C motif chemokine 14 isoform 1
NCBI Official Synonym Full Names	chemokine (C-C motif) ligand 14
NCBI Official Symbol	CCL14
NCBI Official Synonym Symbols	CC-1; CC-3; CKB1; MCIF; NCC2; SY14; HCC-1; HCC-3; NCC-2; SCYL2; SCYA14; HCC-1(1-74); HCC-1/HCC-3
NCBI Protein Information	C-C motif chemokine 14; chemokine CC-3; new CC chemokine 2; chemokine CC-1/CC-3; hemofiltrate CC chemokine 1; small-inducible cytokine A14; small inducible cytokine subfamily A (Cys-Cys), member 14
UniProt Protein Name	C-C motif chemokine 14
UniProt Gene Name	CCL14
UniProt Synonym Gene Names	NCC2; SCYA14; HCC-1/HCC-3
UniProt Entry Name	CCL14_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ccl14-antibody-immunohistochemistry-elisa/296577>