

Rabbit MTR4 Polyclonal Antibody | anti-MTR4 antibody

MTR4 antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA29668	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry

PRODUCT SYNONYMS


MTR4; Polyclonal Antibody; MTR4 antibody; Dob1; Mtr4; fSAP118; KIAA0052; anti-MTR4 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous level of total MTR4 antibody.
Purity/Purification	Antibodies were purified by affinity purification using immunogen.
Form/Format	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1.0 mg/ml (varies by lot)
Sequence Length	1042
Applicable Applications for anti-MTR4 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Application Notes	Western blotting: 1:500 - 1:2000 Immunohistochemistry: 1:50 - 1:200
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human MTR4.
Target Name	MTR4
Preparation and Storage	Store at -20 degree C




IHC (Immunohistochemistry)
Immunohistochemistry analysis of paraffin-embedded human embryo brain tissue using MTR4 antibody at dilution of 1:200 (x400 lens).




IHC (Immunohistochemistry)
Immunohistochemistry analysis of paraffin-embedded human liver cancer tissue using MTR4 antibody at dilution of 1:200 (x400 lens).




IHC (Immunohistochemistry)
Immunohistochemistry analysis of paraffin-embedded rat liver tissue using MTR4 antibody at dilution of 1:200 (x400 lens).



IHC (Immunohistochemistry)
Immunohistochemistry analysis of paraffin-embedded human kidney cancer tissue using MTR4 antibody at dilution of 1:200 (x400 lens).



IHC (Immunohistochemistry)
Immunohistochemistry analysis of paraffin-embedded human lung cancer tissue using MTR4 antibody at dilution of 1:200 (x400 lens).



IHC (Immunohistochemistry)
Immunohistochemistry analysis of paraffin-embedded rat heart tissue using MTR4 antibody at dilution of 1:200 (x400 lens).

ADDITIONAL INFORMATION

Related Product Information for anti-MTR4 antibody	May be involved in pre-mRNA splicing. Associated with the RNA exosome complex and involved in the 3'-processing of the 7S pre-rRNA to the mature 5.8S rRNA.
Product Categories/Family for anti-MTR4 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	193211480
NCBI GeneID	23517
NCBI Accession #	NP_056175.3
NCBI GenBank Nucleotide #	NM_015360.4
UniProt Accession #	P42285; Q2M386; Q6MZZ8; Q6P170; Q8N5R0; Q8TAG2
Molecular Weight	117,805 Da
NCBI Official Full Name	superkiller viralicidic activity 2-like 2
NCBI Official Synonym Full Names	superkiller viralicidic activity 2-like 2 (S. cerevisiae)
NCBI Official Symbol	SKIV2L2
NCBI Official Synonym Symbols	Dob1; Mtr4; fSAP118; KIAA0052
NCBI Protein Information	superkiller viralicidic activity 2-like 2
UniProt Protein Name	Superkiller viralicidic activity 2-like 2
UniProt Gene Name	SKIV2L2
UniProt Synonym Gene Names	KIAA0052; Mtr4
UniProt Entry Name	SK2L2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/mtr4-antibody-western-blot-immunohistochemistry-elisa/29668>