

TROP2 recombinant antibody

Anti-TROP2 Reference Antibody (sacituzumab)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA296916	CHO Cell	Human	Functional Assay, Flow Cytometry, Functional Assay, ELISA


PRODUCT SYNONYMS

TROP2; Monoclonal Recombinant Antibody; Anti-TROP2 Reference Antibody (sacituzumab); TROP2 recombinant antibody

PRODUCT SPECIFICATIONS


Host	CHO Cell
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Specificity	TROP2
Form/Format	Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.
Concentration	1mg/ml (varies by lot)
Applicable Applications for TROP2 recombinant antibody	FA (Functional Assay), FCM/FACS (Flow Cytometry), ELISA
Endotoxin	< 0.001EU/ug, determined by LAL method.
Conjugation	Unconjugated
Dry Ice Note	The product may be shipped with dry ice, and an additional fee may be added to your shipping cost.
Preparation and Storage	Store at -80 degree C for 2 years under sterile conditions; -20 degree C for 1 year under sterile conditions; Avoid repeated freeze-thaw cycles.

IMAGES





Application Data

The endocytosis ratio sacituzumab by human TROP2 HEK293 increased with the increase of antibody concentration, and the Internalization Rate (%) reached 70% at antibody concentration of 0.4 nM.



FCM/FACS (Flow Cytometry)

Human TROP2 HEK293 cells were stained with Anti-TROP2 Reference Antibody (sacituzumab) and negative control protein respectively, washed and then followed by PE and analyzed with FACS, EC276=0.4071 ug/mL




Application Data

The purity of Anti-TROP2 Reference Antibody (sacituzumab) is more than 96.23%, determined by SEC-HPLC.

Application Data

Immobilized human TROP2 His at 2 µg/mL can bind Anti-TROP2 Reference Antibody (sacituzumab), EC50=0.004316 µg/mL



SDS-PAGE

Anti-TROP2 Reference Antibody (sacituzumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%

ADDITIONAL INFORMATION

Product Categories/Family for TROP2 recombinant antibody	Primary Antibodies
--	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	166795236
NCBI GeneID	4070
NCBI Accession #	NP_002344.2
NCBI GenBank Nucleotide #	NM_002353.2
UniProt Accession #	P09758; Q15658; Q6FG48; Q7Z7Q4; Q96QD2
Molecular Weight	35,709 Da
NCBI Official Full Name	tumor-associated calcium signal transducer 2
NCBI Official Synonym Full Names	tumor-associated calcium signal transducer 2
NCBI Official Symbol	TACSTD2
NCBI Official Synonym Symbols	EGP1; GP50; M1S1; EGP-1; TROP2; GA7331; GA733-1

NCBI Protein Information	tumor-associated calcium signal transducer 2; epithelial glycoprotein-1; cell surface glycoprotein TROP2; cell surface glycoprotein Trop-2; pancreatic carcinoma marker protein GA7331; pancreatic carcinoma marker protein GA733-1; gastrointestinal tumor-ass
UniProt Protein Name	Tumor-associated calcium signal transducer 2
UniProt Gene Name	TACSTD2
UniProt Synonym Gene Names	GA733-1; M1S1; TROP2
UniProt Entry Name	TACD2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/trop2-recombinant-antibody-functional-assay-flow-cytometry-elisa/296916>