

Rabbit BAX Polyclonal Antibody | anti-BAX antibody

BAX Polyclonal Antibody

CATALOG # AAA29799	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunofluorescence
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

BAX; Polyclonal Antibody; BAX Polyclonal Antibody; BCL2L4; apoptosis regulator BAX; anti-BAX antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 50% glycerol, pH7.4
Sequence Length	192
Applicable Applications for anti-BAX antibody	WB (Western Blot), IF (Immunofluorescence)
Application Notes	WB: 1:500-1:1000 IF: 1:50-1:100
Immunogen	Recombinant fusion protein of human BAX (NP_620116.1).
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.


IMAGES


IF (Immunofluorescence)

Immunofluorescence analysis of HeLa cells using BAX antibody.



IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using BAX antibody.




IF (Immunofluorescence)

Immunofluorescence analysis of NIH/3T3 cells using BAX antibody.




IF (Immunofluorescence)

Immunofluorescence analysis of C6 cells using BAX antibody.



WB (Western Blot)

Western blot analysis of extracts from normal (control) and BAX knockout (KO) 293T cells, using BAX antibody.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using BAX antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-BAX antibody

The protein encoded by this gene belongs to the BCL2 protein family. BCL2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. This protein forms a heterodimer with BCL2, and functions as an apoptotic activator. This protein is reported to interact with, and increase the opening of, the mitochondrial voltage-dependent anion channel (VDAC), which leads to the loss in membrane potential and the release of cytochrome c. The expression of this gene is regulated by the tumor suppressor P53 and has been shown to be involved in P53-mediated apoptosis. Multiple alternatively spliced transcript variants, which encode different isoforms, have been reported for this gene.

Product Categories/Family for anti-BAX antibody

Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	20631958
NCBI GeneID	581
NCBI Accession #	NP_620116.1
NCBI GenBank Nucleotide #	NP_620116.1
UniProt Accession #	Q07812
Molecular Weight	23kDa
NCBI Official Full Name	apoptosis regulator BAX isoform alpha
NCBI Official Synonym Full Names	BCL2 associated X, apoptosis regulator

NCBI Official Symbol	BAX
NCBI Official Synonym Symbols	BCL2L4
NCBI Protein Information	apoptosis regulator BAX
UniProt Protein Name	Apoptosis regulator BAX
UniProt Gene Name	BAX
UniProt Synonym Gene Names	BCL2L4; Bcl2-L-4
UniProt Entry Name	BAX_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/bax-antibody-western-blot-immunofluorescence-elisa/29799>