

Mouse C-CBL Monoclonal Antibody | anti-C-CBL antibody

C-CBL Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA29909	Mouse	Human, Mouse, Rat	Western Blot, Immunocytochemistry, Immunohistochemistry, Flow Cytometry, Functional Assay


PRODUCT SYNONYMS

C-CBL; Monoclonal Antibody; C-CBL Antibody; 4732447J05Rik antibody; C CBL antibody; Cas Br M (murine) ecotropic retroviral transforming sequence antibody; Casitas B lineage lymphoma proto oncogene antibody; Casitas B-lineage lymphoma proto-oncogene antibody; CBL 2 antibody; cbl antibody; CBL_HUMAN antibody; CBL2 antibody; E3 ubiquitin protein ligase CBL antibody; E3 ubiquitin-protein ligase CBL antibody; Oncogene CBL2 antibody; Proto oncogene c CBL antibody; Proto-oncogene c-CBL antibody; RGD1561386 antibody; RING finger protein 55 antibody; RNF55 antibody; Signal transduction protein CBL antibody; anti-C-CBL antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human, Mouse, Rat
Clonality	Monoclonal
Clone Number	C1-B12
Purity/Purification	ProA affinity purified
Form/Format	1*TBS (pH7.4), 1%BSA, Preservative: 0.05% Sodium Azide.
Applicable Applications for anti-C-CBL antibody	WB (Western Blot), ICC (Immunocytochemistry), IHC (Immunohistochemistry), FCM/FACS (Flow Cytometry)
Application Notes	WB: 1:500-1:1000 IHC: 1:50-1:200 ICC: 1:100-1:500 FC/FACS: 1:100-1:200
Immunogen	Recombinant protein
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C.


IMAGES




FCM (Flow Cytometry)
Flow cytometric analysis of MCF-7 cells with CBL antibody at 1/100 dilution (blue) compared with an unlabelled control (cells without incubation with primary antibody; red).




ICC (Immunocytochemistry)
ICC staining CBL (green) and actin filaments (red) in HeLa cells. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded bladder cancer tissue using anti-CBL antibody. Counter stained with hematoxylin.



IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded ovarian cancer tissue using anti-CBL antibody. Counter stained with hematoxylin.



WB (Western Blot)
Western blot analysis of CBL on different cell lysates using anti-CBL antibody at 1/1, 000 dilution. Positive control: Lane 1: RAJI Lane 2: RAW264.7 Lane 3: K562 Lane 4: SKBR-3 Lane 5: 3T3-L1 Lane 6: THP-1 Lane 7: PC-12



WB (Western Blot)
Western blot analysis of CBL on human CBL recombinant protein using anti-CBL antibody at 1/1, 000 dilution.

ADDITIONAL INFORMATION

Product Categories/Family for anti-C-CBL antibody	Total protein Ab
---	------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	52426745
-----------	----------

NCBI GeneID	867
NCBI Accession #	NP_005179.2
NCBI GenBank Nucleotide #	NM_005188.3
UniProt Accession #	P22681; A3KMP8
Molecular Weight	99,633 Da
NCBI Official Full Name	E3 ubiquitin-protein ligase CBL
NCBI Official Synonym Full Names	Cbl proto-oncogene, E3 ubiquitin protein ligase
NCBI Official Symbol	CBL
NCBI Official Synonym Symbols	CBL2; NSLL; C-CBL; RNF55; FRA11B
NCBI Protein Information	E3 ubiquitin-protein ligase CBL; oncogene CBL2; proto-oncogene c-Cbl; RING finger protein 55; signal transduction protein CBL; casitas B-lineage lymphoma proto-oncogene; fragile site, folic acid type, rare, fra(11)(q23.3); Cas-Br-M (murine) ecotropic retr
UniProt Protein Name	E3 ubiquitin-protein ligase CBL
UniProt Gene Name	CBL
UniProt Synonym Gene Names	CBL2; RNF55
UniProt Entry Name	CBL_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/c-cbl-antibody-clone-c1-b12-western-blot-immunocytochemistry-immunohistochemistry-flow-cytometry-elisa/29909>