

Rabbit anti-Human, Mouse ASK1 Monoclonal Antibody | anti-ASK1 antibody

ASK1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA30075	Rabbit	Human, Mouse	Western Blot, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Flow Cytometry, Functional Assay


PRODUCT SYNONYMS

ASK1; Monoclonal Antibody; ASK1 Antibody; Apoptosis signal regulating kinase 1 antibody; Apoptosis signal-regulating kinase 1 antibody; ASK 1 antibody; ASK-1 antibody; ASK1 antibody; M3K5 antibody; M3K5_HUMAN antibody; MAP/ERK kinase kinase 5 antibody; MAP3K5 antibody; MAPK/ERK kinase kinase 5 antibody; MAPKKK5 antibody; MEK kinase 5 antibody; MEKK 5 antibody; MEKK5 antibody; Mitogen activated protein kinase kinase kinase 5 antibody; Mitogen-activated protein kinase kinase kinase 5 antibody; anti-ASK1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Monoclonal
Clone Number	SU36-06
Purity/Purification	ProA affinity purified
Form/Format	1*TBS (pH7.4), 1% BSA, 40% Glycerol. Preservative: 0.05% Sodium Azide.
Applicable Applications for anti-ASK1 antibody	WB (Western Blot), ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), FCM/FACS (Flow Cytometry)
Application Notes	WB: 1:1000 IHC: 1:50-1:200 ICC: 1:50-1:200 FC/FACS: 1:50-1:100
Antibody Type	Recombinant Antibody
Immunogen	Recombinant protein
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C.

IMAGES



FCM (Flow Cytometry)

Flow cytometric analysis of HeLa cells with ASK1 antibody at 1/50 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.



ICC (Immunocytochemistry)


ICC staining ASK1 in MCF-7 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.

**ICC (Immunocytochemistry)**


ICC staining ASK1 in HeLa cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.

**ICC (Immunocytochemistry)**

ICC staining ASK1 in A549 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.

**IHC (Immunohistochemistry)**

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using anti-ASK1 antibody. Counter stained with hematoxylin.

**IHC (Immunohistochemistry)**

Immunohistochemical analysis of paraffin-embedded mouse pancreas tissue using anti-ASK1 antibody. Counter stained with hematoxylin.

ADDITIONAL INFORMATION

Related Product Information for anti-ASK1 antibody	Mitogen-activated protein (MAP) kinase cascades are activated by various extracellular stimuli including growth factors. The MEK kinases (also designated MAP kinase kinase kinases, MKKKs, MAP3Ks or MEKKs) phosphorylate and thereby activate the MEKs (also called MAP kinase kinases or MKKs), including ERK, JNK and p38. These activated MEKs in turn phosphorylate and activate the MAP kinases. The MEK kinases include Raf-1, Raf-B, Mos, MEK kinase-1, MEK kinase-2, MEK kinase-3, MEK kinase-4, ASK 1 (MEK kinase-5) and MAP3K6 (MEK kinase-6). MEK kinase-1 has been shown to phosphorylate MEK-1 via a Raf-independent pathway. Evidence suggests that MEK-3 is preferentially activated by MEK kinase-3 and that MEK-4 is activated by both MEK kinase-2 and MEK kinase-3. MEK kinase-4 has been shown to specifically activate the JNK pathway. ASK1 activates both MEK-4 and MEK-3/MEK-6 pathways.
Product Categories/Family for anti-ASK1 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	5174547
NCBI GeneID	4217
NCBI Accession #	NP_005914.1
NCBI GenBank Nucleotide #	NM_005923.3
UniProt Accession #	Q99683 ; Q5THN3 ; Q99461
Molecular Weight	154,537 Da
NCBI Official Full Name	mitogen-activated protein kinase kinase kinase 5
NCBI Official Synonym Full Names	mitogen-activated protein kinase kinase kinase 5
NCBI Official Symbol	MAP3K5
NCBI Official Synonym Symbols	ASK1; MEKK5; MAPKKK5
NCBI Protein Information	mitogen-activated protein kinase kinase kinase 5; ASK-1; MEKK 5; MEK kinase 5; MAP/ERK kinase kinase 5; MAPK/ERK kinase kinase 5; apoptosis signal regulating kinase 1; apoptosis signal-regulating kinase 1
UniProt Protein Name	Mitogen-activated protein kinase kinase kinase 5
UniProt Gene Name	MAP3K5
UniProt Synonym Gene Names	ASK1; MAPKKK5; MEKK5; ASK-1; MEK kinase 5; MEKK 5
UniProt Entry Name	M3K5_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/ask1-antibody-clone-su36-06-western-blot-immunocytochemistry-immunofluorescence-immunohistochemistry-flow-cytometry-elisa/30075>