

Rabbit KRT20 Polyclonal Antibody | anti-KRT20 antibody

KRT20 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA301089	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

KRT20; Polyclonal Antibody; KRT20 Antibody; K20; Cytokeratin20; KRT21; CK20; anti-KRT20 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous level of total KRT20 protein.
Purity/Purification	Antibodies were purified by affinity purification using immunogen.
Form/Format	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1.0 mg/ml (varies by lot)
Sequence Length	424
Applicable Applications for anti-KRT20 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human KRT20.
SDS-PAGE MW	48kD
Target Name	KRT20
Preparation and Storage	Store at -20°C


IMAGES




IF (Immunofluorescence)
Immunofluorescence analysis of HeLa cell using KRT20 antibody. Blue: DAPI for nuclear staining.



IHC (Immunohistochemisry)
Immunohistochemical analysis of paraffin-embedded human rectal cancer using KRT20 antibody at dilution of 1:200 (200x lens).



IHC (Immunohiostchemistry)
Immunohistochemical analysis of paraffin-embedded human colon cancer using KRT20 antibody.



WB (Western Blot)
Western blot analysis of extracts from Hela cell and mouse intestines tissue, using KRT20 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-KRT20 antibody	Intermediate-sized filament (IF) protein designated cytokeratin (CK) 20 is a major cellular protein of mature enterocytes and goblet cells commonly found in mucosal epithelium of the mammalian gastrointestinal tract (1). Results strongly suggest that transcriptional regulation of keratin genes in the intestinal epithelium occurs at the level of both immature and terminally differentiated epithelial cells, and is tightly regulated during both fetal development and crypt-to-villus differentiation of the intestinal epithelium (2). CK20 has recently been reported to be useful to distinguish between primary and metastatic lung adenocarcinoma. CK20 expression was significantly more prevalent in adenocarcinoma that originated in the GI tract than that of pulmonary or breast origin (3).
Product Categories/Family for anti-KRT20 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	27894337
NCBI GeneID	54474
NCBI Accession #	NP_061883.1
NCBI GenBank Nucleotide #	NM_019010.2
UniProt Accession #	P35900; B2R6W7
NCBI Official Full Name	keratin, type I cytoskeletal 20

NCBI Official Synonym Full Names	keratin 20, type I
NCBI Official Symbol	KRT20
NCBI Official Synonym Symbols	K20; CD20; CK20; CK-20; KRT21
NCBI Protein Information	keratin, type I cytoskeletal 20
UniProt Protein Name	Keratin, type I cytoskeletal 20
UniProt Gene Name	KRT20
UniProt Synonym Gene Names	CK-20; K20
UniProt Entry Name	K1C20_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/krt20-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/301089>