

Rabbit Cortactin Monoclonal Antibody | anti-CTTN antibody

Cortactin Antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA30148	Rabbit	Human, Mouse, Rat	Western Blot, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Flow Cytometry, Functional Assay

PRODUCT SYNONYMS

Cortactin; Monoclonal Antibody; Cortactin Antibody; Amplexin antibody; CTTN antibody; EMS 1 antibody; EMS1 antibody; FLJ34459 antibody; Mammary tumor and squamous cell carcinoma associated antibody; Oncogene EMS1 antibody; p80/85 src substrate antibody; Src substrate cortactin antibody; SRC8_HUMAN antibody; anti-CTTN antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Monoclonal
Clone Number	SC61-08
Purity/Purification	ProA affinity purified
Form/Format	1*TBS (pH7.4), 1% BSA, 40% Glycerol. Preservative: 0.05% Sodium Azide.
Applicable Applications for anti-CTTN antibody	WB (Western Blot), ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IP (Immunoprecipitation), FCM/FACS (Flow Cytometry)
Application Notes	WB: 1:1000-5000 IHC: 1:50-1:200 ICC: 1:100-1:500 FC/FACS: 1:50-1:100
Antibody Type	Recombinant Antibody
Immunogen	Recombinant protein
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C.




FCM (Flow Cytometry)

Flow cytometric analysis of Hela cells with Cortactin antibody at 1/50 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.




ICC (Immunocytochemistry)

ICC staining Cortactin in PC-3M cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




ICC (Immunocytochemistry)

ICC staining Cortactin in A431 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




ICC (Immunocytochemistry)

ICC staining Cortactin in Hela cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded mouse colon tissue using anti-Cortactin antibody. Counter stained with hematoxylin.



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using anti-Cortactin antibody. Counter stained with hematoxylin.

ADDITIONAL INFORMATION

Related Product Information for anti-CTTN antibody

Cortactin (also designated Ems-1) is a filamentous Actin (F-Actin) binding protein that has been shown to be a substrate for Src p60. Cortactin contains tandem 37 amino acid repeats at the amino-terminus and an SH3 domain at the carboxy-terminus. The tandem repeats appear to be necessary for F-Actin binding. Tyrosine phosphorylation of Cortactin by Src p60 results in diminished F-Actin binding to Cortactin and reduced F-Actin cross-linking activity. Cortactin has also been shown to be phosphorylated in response to FGF-1. Cortactin exhibits abundant expression in megakaryocytes and platelets, and it may play a role in the maturation of megakaryocytes.

NCBI AND UNIPROT INFORMATION

NCBI GI #	296080746
NCBI GeneID	2017
NCBI Accession #	NP_001171669.1
NCBI GenBank Nucleotide #	NM_001184740.1
UniProt Accession #	Q14247; Q8N707; Q96H99; AAB26248
Molecular Weight	61,586 Da
NCBI Official Full Name	src substrate cortactin isoform c
NCBI Official Synonym Full Names	cortactin
NCBI Official Symbol	CTTN
NCBI Official Synonym Symbols	EMS1
NCBI Protein Information	src substrate cortactin; amplaxin; 1110020L01Rik; oncogene EMS1; ems1 sequence (mammary tumor and squamous cell carcinoma-associated (p80/85 src substrate)
UniProt Protein Name	Src substrate cortactin
UniProt Gene Name	CTTN
UniProt Synonym Gene Names	EMS1
UniProt Entry Name	SRC8_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/cortactin-antibody-clone-sc61-08-western-blot-immunocytochemistry-immunofluorescence-immunohistochemistry-immunoprecipitation-flow-cytometry-elisa/30148>