

Rabbit NCAM Monoclonal Antibody | anti-NCAM antibody

NCAM Antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA30279	Rabbit	Human, Mouse, Zebrafish	Western Blot, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Flow Cytometry, Functional Assay

PRODUCT SYNONYMS


NCAM; Monoclonal Antibody; NCAM Antibody; antigen MSK39 identified by monoclonal antibody; 5.1H11 antibody; antigen recognized by monoclonal antibody; CD56 antibody; cell adhesion molecule; neural; 1 antibody; MSK 39 antibody; MSK39 antibody; N-CAM-1 antibody; NCAM 1 antibody; NCAM antibody; NCAM C antibody; NCAM-1 antibody; NCAM1 antibody; NCAM1_HUMAN antibody; NCAMC antibody; Neural cell adhesion molecule 1 antibody; Neural cell adhesion molecule NCAM antibody; OTTHUMP00000235666 antibody; anti-NCAM antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Zebrafish
Clonality	Monoclonal
Clone Number	JF1021
Purity/Purification	ProA affinity purified
Form/Format	1*TBS (pH7.4), 1% BSA, 40% Glycerol. Preservative: 0.05% Sodium Azide.
Applicable Applications for anti-NCAM antibody	WB (Western Blot), ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), IP (Immunoprecipitation), FCM/FACS (Flow Cytometry)
Application Notes	WB: 1:1000-5000 IHC: 1:50-1:200 ICC: 1:50-1:200 FC/FACS: 1:50-1:100
Antibody Type	Recombinant Antibody
Immunogen	Recombinant protein
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C.




FCM (Flow Cytometry)
Flow cytometric analysis of SH-SY-5Y cells with NCAM antibody at 1/50 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.




ICC (Immunocytochemistry)
ICC staining NCAM in SH-SY-5Y cells (red). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




ICC (Immunocytochemistry)
ICC staining NCAM in N2A cells (red). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



ICC (Immunocytochemistry)
ICC staining NCAM in A549 cells (red). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded zebrafish kidney tissue using anti-NCAM antibody. Counter stained with hematoxylin.



IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded human tonsil tissue using anti-NCAM antibody. Counter stained with hematoxylin.

ADDITIONAL INFORMATION

Related Product Information for anti-NCAM antibody

Neural cell adhesion molecules (NCAMs) are a family of closely related cell surface glycoproteins involved in cell to cell interactions during growth and thought to play an important role in embryogenesis and development. The expression of these molecules is widespread in all three germ layers during embryogenesis, but is more restrictive in adult tissues. NCAM expression is observed in a variety of human tumors including neuroblastomas, rhabdomyosarcomas, Wilms' tumor, Ewing's sarcoma and some primitive myeloid malignancies. Multiple isoforms of NCAM have been reported in both mouse and human brain tissue. In humans, NCAMs arise from differential splicing and use of alternative polyadenylation sites of a single gene mapping to 11q23.

NCBI AND UNIPROT INFORMATION

NCBI GI #	205830665
NCBI GeneID	4684
UniProt Accession #	P13591; P13592; P13593; Q05C58; Q15829; Q16180; Q16209; Q59FL7; Q86X47; Q96CJ3; A8K8T8
Molecular Weight	858
NCBI Official Full Name	Neural cell adhesion molecule 1
NCBI Official Synonym Full Names	neural cell adhesion molecule 1
NCBI Official Symbol	NCAM1
NCBI Official Synonym Symbols	CD56; NCAM; MSK39
NCBI Protein Information	neural cell adhesion molecule 1; neural cell adhesion molecule, NCAM; antigen recognized by monoclonal antibody 5.1H11
UniProt Protein Name	Neural cell adhesion molecule 1
UniProt Gene Name	NCAM1
UniProt Synonym Gene Names	NCAM; N-CAM-1; NCAM-1
UniProt Entry Name	NCAM1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/ncam-antibody-clone-jf1021-western-blot-immunocytochemistry-immunofluorescence-immunohistochemistry-immunoprecipitation-flow-cytometry-elisa/30279>