

Rabbit MIF Polyclonal Antibody | anti-MIF antibody

MIF Antibody

CATALOG # AAA303142	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

MIF; Polyclonal Antibody; MIF Antibody; GIF; GLIF; MMIF; anti-MIF antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous level of total MIF protein.
Purity/Purification	Antibodies were purified by affinity purification using immunogen.
Form/Format	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1.0 mg/ml (varies by lot)
Sequence Length	115
Applicable Applications for anti-MIF antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human MIF.
Target Name	MIF
Preparation and Storage	Store at -20 degree C

IMAGES


IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded mouse lung using MIF antibody at dilution of 1:100 (400x lens).


WB (Western Blot)

Western blot analysis of extracts of Jurkat cell lines, using MIF antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-MIF antibody	Macrophage migration inhibitory factor, known as MIF or glycosylation-inhibiting factor, is a secreted, homotrimeric, pro-inflammatory cytokine that modulates macrophage and T cell function and is an important regulator of host response to infection. MIF is expressed at sites of inflammation, which suggests that it plays a role in regulating macrophage function in host defense. MIF is produced by the pituitary gland and is found in monocytes, macrophages, differentiating immunological cells in the eye lens and brain, and fibroblasts. Elevated levels of MIF protein are detected in the plasma of patients with severe sepsis or septic shock, a condition where MIF influences endotoxic shock by enhancing the production of other inflammatory cytokines including tumor necrosis factor (TNF), interleukin-1 (IL-1) and interferon- (IFN-). MIF promotes the systemic inflammatory response by counter-regulating glucocorticoid-mediated inhibition of immune-cell activation and proinflammatory cytokine production. MIF may mediate tissue destruction through the induction of proteinases.
Product Categories/Family for anti-MIF antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	4505185
NCBI GeneID	4282
NCBI Accession #	NP_002406.1
NCBI GenBank Nucleotide #	NM_002415.1
UniProt Accession #	P14174; Q2V4Y5; Q6FHV0; A5Z1R8; B2R4S3
Molecular Weight	12,476 Da
NCBI Official Full Name	macrophage migration inhibitory factor
NCBI Official Synonym Full Names	macrophage migration inhibitory factor (glycosylation-inhibiting factor)
NCBI Official Symbol	MIF
NCBI Official Synonym Symbols	GIF; GLIF; MMIF
NCBI Protein Information	macrophage migration inhibitory factor
UniProt Protein Name	Macrophage migration inhibitory factor
UniProt Gene Name	MIF
UniProt Synonym Gene Names	GLIF; MMIF; MIF; GIF
UniProt Entry Name	MIF_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/mif-antibody-immunohistochemistry-western-blot-elisa/303142>