

Rabbit MAPK9 Polyclonal Antibody | anti-MAPK9 antibody

MAPK9 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA304054	Rabbit	Human, Mouse, Rat	Immunoprecipitation, Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

MAPK9; Polyclonal Antibody; MAPK9 Antibody; JNK-55; JNK2; JNK2A; JNK2ALPHA; anti-MAPK9 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous level of total MAPK9 protein.
Purity/Purification	Antibodies were purified by affinity purification using immunogen.
Form/Format	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1.0 mg/ml (varies by lot)
Sequence Length	242
Applicable Applications for anti-MAPK9 antibody	IP (Immunoprecipitation), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human MAPK9.
Target Name	MAPK9
Preparation and Storage	Store at -20 degree C

IMAGES



IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cell using MAPK9 antibody. Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of Hela cell using MAPK9 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-MAPK9 antibody	The stress-activated protein kinase/Jun-amino-terminal kinase SAPK/JNK is potently and preferentially activated by a variety of environmental stresses including UV and gamma radiation, ceramides, inflammatory cytokines, and in some instances, growth factors and GPCR agonists (1-6). As with the other MAPKs, the core signaling unit is composed of a MAPKKK, typically MEKK1-MEKK4, or by one of the mixed lineage kinases (MLKs), which phosphorylate and activate MKK4/7. Upon activation, MKKs phosphorylate and activate the SAPK/JNK kinase (2). Stress signals are delivered to this cascade by small GTPases of the Rho family (Rac, Rho, cdc42) (3). Both Rac1 and cdc42 mediate the stimulation of MEKKs and MLKs (3). Alternatively, MKK4/7 can be activated in a GTPase-independent mechanism via stimulation of a germinal center kinase (GCK) family member (4). There are three SAPK/JNK genes each of which undergoes alternative splicing, resulting in numerous isoforms (3). SAPK/JNK, when active as a dimer, can translocate to the nucleus and regulate transcription through its effects on c-Jun, ATF-2, and other transcription factors (3,5).
Product Categories/Family for anti-MAPK9 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	205277412
NCBI GeneID	5601
NCBI Accession #	NP_001128516.1
NCBI GenBank Nucleotide #	NM_001135044.1
UniProt Accession #	P45984; Q15708; Q15710; Q15711; Q8N5C5; A8K0S3; B5BU66; B5M0B4; D3DWQ8; D3DWQ9
Molecular Weight	27,334 Da
NCBI Official Full Name	mitogen-activated protein kinase 9 isoform JNK2 gamma
NCBI Official Synonym Full Names	mitogen-activated protein kinase 9
NCBI Official Symbol	MAPK9
NCBI Official Synonym Symbols	JNK2; SAPK; p54a; JNK2A; JNK2B; PRKM9; JNK-55; SAPK1a; JNK2BETA; p54aSAPK; JNK2ALPHA
NCBI Protein Information	mitogen-activated protein kinase 9
UniProt Protein Name	Mitogen-activated protein kinase 9
UniProt Gene Name	MAPK9
UniProt Synonym Gene Names	JNK2; PRKM9; SAPK1A; MAP kinase 9; MAPK 9; SAPK1a
UniProt Entry Name	MK09_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/mapk9-antibody-immunoprecipitation-immunofluorescence-immunohistochemistry-western-blot-elisa/304054>