

Rabbit PPARA Polyclonal Antibody | anti-PPARA antibody

PPARA Antibody

CATALOG # AAA304663	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

PPARA; Polyclonal Antibody; PPARA Antibody; PPAR; NR1C1; hPPAR; PPARalpha; anti-PPARA antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous levels of total PPARA protein.
Purity/Purification	Antigen affinity purification.
Form/Format	Rabbit IgG in pH7.3 PBS, 0.05% NaN ₃ , 50% Glycerol.
Concentration	1 mg/ml (varies by lot)
Sequence Length	468
Applicable Applications for anti-PPARA antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen Type	Peptide
Immunogen Description	Synthetic peptide corresponding to residues near the N terminal of human Peroxisome proliferator-activated receptor alpha
Target Name	PPARA
Preparation and Storage	Store at -20 degree C

IMAGES



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded Human gastric cancer tissue using at dilution 1/30.



Application Data

Gel: 10%SDS-PAGE Lysates (from left to right): 231 and Jurkat cell Amount of lysate: 40ug per lane Primary antibody: 1/500 dilution Secondary antibody dilution: 1/8000 Exposure time: 2 minutes

ADDITIONAL INFORMATION

Related Product Information for anti-PPARA antibody	Peroxisome proliferators include hypolipidemic drugs, herbicides, leukotriene antagonists, and plasticizers; this term arises because they induce an increase in the size and number of peroxisomes. Peroxisomes are subcellular organelles found in plants and animals that contain enzymes for respiration and for cholesterol and lipid metabolism. The action of peroxisome proliferators is thought to be mediated via specific receptors, called PPARs, which belong to the steroid hormone receptor superfamily. PPARs affect the expression of target genes involved in cell proliferation, cell differentiation and in immune and inflammation responses. Three closely related subtypes (alpha, beta/delta, and gamma) have been identified. This gene encodes the subtype PPAR-alpha, which is a nuclear transcription factor. Multiple alternatively spliced transcript variants have been described for this gene, although the full-length nature of only two has been determined.
Product Categories/Family for anti-PPARA antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	50348666
NCBI GeneID	5465
NCBI Accession #	NP_001001928.1
NCBI GenBank Nucleotide #	NM_001001928.2
UniProt Accession #	Q07869; Q16241; Q6I9S0; Q92486; Q92689; Q9Y3N1; B0G0X3
Molecular Weight	18,942 Da
NCBI Official Full Name	peroxisome proliferator-activated receptor alpha
NCBI Official Synonym Full Names	peroxisome proliferator-activated receptor alpha
NCBI Official Symbol	PPARA
NCBI Official Synonym Symbols	PPAR; NR1C1; hPPAR; PPARalpha
NCBI Protein Information	peroxisome proliferator-activated receptor alpha
UniProt Protein Name	Peroxisome proliferator-activated receptor alpha
UniProt Gene Name	PPARA
UniProt Synonym Gene Names	NR1C1; PPAR; PPAR-alpha
UniProt Entry Name	PPARA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ppara-antibody-immunohistochemistry-western-blot-elisa/304663>