

Rabbit anti-Human HYOU1 Polyclonal Antibody | anti-HYOU1 antibody

HYOU1 antibody

CATALOG # AAA304949	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunofluorescence, Western Blot
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

HYOU1; Polyclonal Antibody; HYOU1 antibody; Grp170; HSP12A; ORP150; GRP-170; ORP-150; anti-HYOU1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	The antibody detects endogenous level of total HYOU1 antibody.
Purity/Purification	Antibodies were purified by affinity purification using immunogen.
Form/Format	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1.0 mg/ml (varies by lot)
Sequence Length	999
Applicable Applications for anti-HYOU1 antibody	IF (Immunofluorescence), WB (Western Blot)
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human HYOU1.
Target Name	HYOU1
Preparation and Storage	Store at -20 degree C

IMAGES


IF (Immunofluorescence)

Immunofluorescence analysis of A549 cell using HYOU1 antibody. Blue: DAPI for nuclear staining.


WB (Western Blot)

Western blot analysis of extracts of various cell lines, using HYOU1 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-HYOU1 antibody	The protein encoded by this gene belongs to the heat shock protein 70 family. This gene uses alternative transcription start sites. A cis-acting segment found in the 5' UTR is involved in stress-dependent induction, resulting in the accumulation of this protein in the endoplasmic reticulum (ER) under hypoxic conditions. The protein encoded by this gene is thought to play an important role in protein folding and secretion in the ER. Since suppression of the protein is associated with accelerated apoptosis, it is also suggested to have an important cytoprotective role in hypoxia-induced cellular perturbation. This protein has been shown to be up-regulated in tumors, especially in breast tumors, and thus it is associated with tumor invasiveness. This gene also has an alternative translation initiation site, resulting in a protein that lacks the N-terminal signal peptide. This signal peptide-lacking protein, which is only 3 amino acids shorter than the mature protein in the ER, is thought to have a housekeeping function in the cytosol. In rat, this protein localizes to both the ER by a carboxy-terminal peptide sequence and to mitochondria by an amino-terminal targeting signal. Alternative splicing results in multiple transcript variants.
Product Categories/Family for anti-HYOU1 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	195976805
NCBI GeneID	10525
NCBI Accession #	NP_001124463.1
NCBI GenBank Nucleotide #	NM_001130991.2
UniProt Accession #	Q9Y4L1; Q2I204; Q53H25; A8C1Z0; B7Z909
Molecular Weight	62,757 Da
NCBI Official Full Name	hypoxia up-regulated protein 1
NCBI Official Synonym Full Names	hypoxia up-regulated 1
NCBI Official Symbol	HYOU1
NCBI Official Synonym Symbols	Grp170; HSP12A; ORP150; GRP-170; ORP-150
NCBI Protein Information	hypoxia up-regulated protein 1
UniProt Protein Name	Hypoxia up-regulated protein 1
UniProt Gene Name	HYOU1
UniProt Synonym Gene Names	GRP170; ORP150; ORP-150; GRP-170
UniProt Entry Name	HYOU1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/hyou1-antibody-immunofluorescence-western-blot-elisa/304949>