

Rabbit CDC2 Polyclonal Antibody | anti-CDC2 antibody

CDC2 (Phospho-Tyr15) Antibody


CATALOG # AAA305946	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	--	-------------------------------------

PRODUCT SYNONYMS


CDC2; Polyclonal Antibody; CDC2 (Phospho-Tyr15) Antibody; CDC28; CDC2A; CDK1; Cyclin-dependent kinase 1; anti-CDC2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous level of CDC2 only when phosphorylated at tyrosine 15.
Purity/Purification	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography use
Form/Format	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1.0 mg/ml (varies by lot)
Sequence Length	297
Applicable Applications for anti-CDC2 antibody	WB (Western Blot)
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around phosphorylation site of tyrosine 15 (G-T-Y(p)-G-V) derived from Human CDC2.
Modification	Phospho-Tyr15
Target Name	CDC2
Preparation and Storage	Store at -20 degree C for long term preservation (recommended). Store at 4 degree C for short term use.



WB (Western Blot)
Western blot analysis of extracts from 293 cells, treated with Hydroxyurea or calf intestinal phosphatase (CIP), using CDC2 (Phospho-Tyr15) Antibody.



WB (Western Blot)
Western blot analysis of extracts from 293 cells, treated with Hydroxyurea or calf intestinal phosphatase (CIP), using CDC2 (Phospho-Tyr15) Antibody.



WB (Western Blot)
Western blot analysis of extracts from HeLa cells untreated (lane 1) or treated with UV (lane 2) using CDC2 (Phospho-Tyr15) Antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-CDC2 antibody	Plays a key role in the control of the eukaryotic cell cycle. It is required in higher cells for entry into S-phase and mitosis. p34 is a component of the kinase complex that phosphorylates the repetitive C-terminus of RNA polymerase II.
Product Categories/Family for anti-CDC2 antibody	Phospho-specific Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502709
NCBI GeneID	983
NCBI Accession #	NP_001777.1
NCBI GenBank Nucleotide #	NM_001786.4
UniProt Accession #	P06493; O60764; A8K7C4; C9J497
Molecular Weight	27,503 Da
NCBI Official Full Name	cyclin-dependent kinase 1 isoform 1
NCBI Official Synonym Full Names	cyclin-dependent kinase 1
NCBI Official Symbol	CDK1
NCBI Official Synonym Symbols	CDC2; CDC28A; P34CDC2

NCBI Protein Information	cyclin-dependent kinase 1
UniProt Protein Name	Cyclin-dependent kinase 1
UniProt Gene Name	CDK1
UniProt Synonym Gene Names	CDC2; CDC28A; CDKN1; P34CDC2; CDK1
UniProt Entry Name	CDK1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cdc2-antibody-western-blot-elisa/305946>