

Rabbit SUMO1 Polyclonal Antibody | anti-SUMO1 antibody

SUMO1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA306396	Rabbit	Human, Mouse, Rat	Immunoprecipitation, Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

SUMO1; Polyclonal Antibody; SUMO1 Antibody; DAP-1; GMP1; OFC10; PIC1; SENP2; anti-SUMO1 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous level of total SUMO1 protein.
Purity/Purification	Antibodies were purified by affinity purification using immunogen.
Form/Format	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1.0 mg/ml (varies by lot)
Sequence Length	101
Applicable Applications for anti-SUMO1 antibody	IP (Immunoprecipitation), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human SUMO1.
Target Name	SUMO1
Preparation and Storage	Store at -20 degree C

IMAGES



IF (Immunofluorescence)

Immunofluorescence analysis of MCF7 cell using SUMO1 antibody. Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of extracts of HeLa cell line, using SUMO1 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-SUMO1 antibody	Small ubiquitin-related modifier 1, 2 and 3 (SUMO-1, -2 and -3) are members of the ubiquitin-like protein family (1). The covalent attachment of the SUMO-1, -2 or -3 (SUMOylation) to target proteins is analogous to ubiquitination. This post-translational modification is a reversible, multi-step process that is initiated by cleaving a precursor protein to a mature protein. Mature SUMO-1, -2 or -3 is then linked to the activating enzyme E1, conjugated to E2 and in conjunction with E3, SUMO-1, -2 or -3 is ligated to the target protein (2). Ubiquitin and the individual SUMO family members are all targeted to different proteins with diverse biological functions. Ubiquitin predominantly regulates degradation of its target (1). In contrast, SUMO-1 is conjugated to RanGAP, PML, p53 and IκB-α to regulate nuclear trafficking, formation of subnuclear structures, regulation of transcriptional activity and protein stability (3-7). SUMO-2/-3 forms poly-(SUMO) chains, is conjugated to topoisomerase II and APP, regulates chromosomal segregation and cellular responses to environmental stress, and plays a role in the progression of Alzheimer disease (8-11).
Product Categories/Family for anti-SUMO1 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	54792065
NCBI GeneID	7341
NCBI Accession #	NP_001005781.1
NCBI GenBank Nucleotide #	NM_001005781.1
UniProt Accession #	P63165; P55856; Q6FGG0; Q6NZ62; Q93068; A8MUS8; B2R4I5
Molecular Weight	8,799 Da
NCBI Official Full Name	small ubiquitin-related modifier 1 isoform a
NCBI Official Synonym Full Names	small ubiquitin-like modifier 1
NCBI Official Symbol	SUMO1
NCBI Official Synonym Symbols	DAP1; GMP1; PIC1; SMT3; UBL1; OFC10; SENP2; SMT3C; SMT3H3
NCBI Protein Information	small ubiquitin-related modifier 1
UniProt Protein Name	Small ubiquitin-related modifier 1
UniProt Gene Name	SUMO1
UniProt Synonym Gene Names	SMT3C; SMT3H3; UBL1; SUMO-1; GMP1; Smt3C
UniProt Entry Name	SUMO1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/sumo1-antibody-immunoprecipitation-immunofluorescence-immunohistochemistry-western-blot-elisa/306396>